

Screwbase Compact Fluorescent Lamp Products
MANUFACTURER-SUPPLIED DATA

ID	Manufacturer	Trade Name	Catalog Number	Ballast Type	Lamp Envelope	Accessories Available	Active Power	Power Factor	THD	Initial Light Output	Mean Light Output	CCT	CRI	Starting Method	Max Overall Len	Weight	Max Ambient Temp	Min Ambient Temp	Sugg Retail Price	Comments	Date Updated	Mfr Website	Avg Rated Life	Ballast Rated Life	Lamp Base Position	Ballast Form
1	ABCO	CFL w/adapter	7373	magnetic	quad	none	16	NS	NS	900	NS	2700	82	NS	9.4	NS	NS	0	NS		6/1/1999	http://www.angelobrothers.com/ind ex.html	10,000	40,000	center	modular
2	ABCO	CFL w/adapter	7377	magnetic	quad	none	16	NS	NS	860	NS	2700	82	NS	7.1	NS	NS	0	NS		6/1/1999	http://www.angelobrothers.com/ind ex.html	10,000	40,000	center	modular
3	ABCO	ER-30 CFL System	7410	magnetic	quad	diffuser, reflector	16	0.53	<15	695	NS	2700	82	NS	7.5	NS	NS	0	NS		6/1/1999	http://www.angelobrothers.com/ind ex.html	10,000	50,000	center	modular
4	ABCO	PAR-38 Electric Saver	7411	magnetic	quad	diffuser, reflector	16	0.53	<15	695	NS	2700	82	NS	8	NS	NS	0	NS		6/1/1999	http://www.angelobrothers.com/ind ex.html	10,000	50,000	center	modular
5	ABCO	R-40 CFL System	7412	magnetic	quad	diffuser, reflector	16	NS	NS	695	NS	2700	82	NS	8	NS	NS	0	NS		6/1/1999	http://www.angelobrothers.com/ind ex.html	10,000	50,000	center	modular
6	Enertron	Downlight	2000-L	magnetic	quad	reflector	13	NS	<20	900	NS	NS	NS	NS	6.5	NS	NS	-18	NS		6/1/1999	http://www.enertron.com/	10,000	45,000	center	modular
7	Enertron	NS	3700HPF-L	magnetic	quad	none	13	>0.90	<20	900	NS	NS	NS	NS	8.8	NS	NS	-18	NS		6/1/1999	http://www.enertron.com/	10,000	45,000	side	modular
8	Enertron	NS	3700-L	magnetic	quad	none	13	NS	<20	900	NS	NS	NS	NS	8.5	NS	NS	-18	NS		6/1/1999	http://www.enertron.com/	10,000	45,000	side	modular
9	Enertron	NS	3800HPF-L	magnetic	quad	none	13	>0.90	<20	900	NS	NS	NS	NS	6.3	NS	NS	-18	NS		6/1/1999	http://www.enertron.com/	10,000	45,000	side	modular
10	Enertron	NS	3800-L	magnetic	quad	none	13	NS	<20	900	NS	NS	NS	NS	5.9	NS	NS	-18	NS		6/1/1999	http://www.enertron.com/	10,000	45,000	side	modular
11	Enertron	NS	3900HPF-L	magnetic	quad	none	22	NS	<20	1300	NS	NS	NS	NS	7.9	NS	NS	-32	NS		6/1/1999	http://www.enertron.com/	10,000	45,000	side	modular
12	Enertron	NS	3900-L	magnetic	quad	none	22	NS	<20	1300	NS	NS	NS	NS	7.5	NS	NS	-32	NS		6/1/1999	http://www.enertron.com/	10,000	45,000	side	modular
13	Enertron	NS	4700HPF-L	magnetic	quad	none	13	>0.90	<20	900	NS	NS	NS	NS	9.9	NS	NS	0	NS		6/1/1999	http://www.enertron.com/	10,000	45,000	center	modular
14	Enertron	NS	4700-L	magnetic	quad	none	13	NS	<20	900	NS	NS	NS	NS	9.9	NS	NS	0	NS		6/1/1999	http://www.enertron.com/	10,000	45,000	center	modular
15	Enertron	NS	4800HPF-L	magnetic	quad	none	13	>0.90	<20	900	NS	NS	NS	NS	7.4	NS	NS	0	NS		6/1/1999	http://www.enertron.com/	10,000	45,000	center	modular
16	Enertron	NS	4800-L	magnetic	quad	none	13	NS	<20	900	NS	NS	NS	NS	7.4	NS	NS	0	NS		6/1/1999	http://www.enertron.com/	10,000	45,000	center	modular
17	Feit Electric	ECO Bulb	BPMLPL13	magnetic	quad	none	16	0.55	10	900	NS	2700	82	NS	8.3	NS	38	-18	NS		6/1/1999	http://www.feit.com/	10,000	50,000	side	modular
18	Feit Electric	ECO Bulb	BPMLPLD13	magnetic	quad	none	16	0.53	11	870	NS	2700	82	NS	5.5	NS	38	-18	NS		6/1/1999	http://www.feit.com/	10,000	50,000	side	modular
19	Feit Electric	ECO Bulb	ML801	magnetic	circular	none	22	0.54	14	1100	NS	4100	82	NS	8	NS	38	-18	NS		6/1/1999	http://www.feit.com/	12,000	50,000	center	modular
20	Feit Electric	ECO Bulb	MLPL13	magnetic	quad	none	16	0.55	10	900	NS	2700	82	NS	8.3	NS	38	-18	NS		6/1/1999	http://www.feit.com/	10,000	50,000	side	modular
21	Feit Electric	ECO Bulb	MLPL13R	magnetic	quad	none	16	0.55	10	920	NS	2700	82	NS	10	NS	38	-18	NS		6/1/1999	http://www.feit.com/	10,000	50,000	center	modular
22	Feit Electric	ECO Bulb	MLPLD13	magnetic	quad	none	16	0.53	10	870	NS	2700	82	NS	5.5	NS	38	-18	NS		6/1/1999	http://www.feit.com/	10,000	50,000	side	modular
23	Feit Electric	ECO Bulb	MLPLD13R	magnetic	quad	none	16	0.53	10	920	NS	2700	82	NS	8	NS	38	-18	NS		6/1/1999	http://www.feit.com/	10,000	50,000	center	modular
24	Feit Electric	ECO Bulb	PLD13ER30	magnetic	reflector	diffuser, reflector	16	0.53	11	750	NS	2700	82	NS	8	NS	38	-18	NS		6/1/1999	http://www.feit.com/	10,000	50,000	center	modular
25	Feit Electric	ECO Bulb	PLD13G30	magnetic	globe	diffuser	16	0.53	11	700	NS	2700	82	NS	8	NS	38	-18	NS		6/1/1999	http://www.feit.com/	10,000	50,000	center	modular
26	Feit Electric	ECO Bulb	PLD13G40	magnetic	globe	diffuser	16	0.53	11	700	NS	2700	82	NS	9	NS	38	-18	NS		6/1/1999	http://www.feit.com/	10,000	50,000	center	modular
27	Feit Electric	ECO Bulb	PLD13PAR	magnetic	reflector	diffuser, reflector	16	0.53	11	750	NS	2700	82	NS	8	NS	38	-18	NS		6/1/1999	http://www.feit.com/	10,000	50,000	center	modular
28	GE Lighting	2D Lamp	FEA212D/827/B	electronic	square	locking device	22	0.5	<170	1300	1105	2700	82	NS	4	NS	NS	0	NS		6/1/1999	http://catalog.gelighting.com/na	10,000	40,000	center	modular
29	GE Lighting	2D Lamp	FEA212D/835/B	electronic	square	locking device	22	0.5	<170	1300	1105	3500	82	NS	4	NS	NS	0	NS		6/1/1999	http://catalog.gelighting.com/na	10,000	40,000	center	modular
30	GE Lighting	2D Lamp	FEA382D/3W/827/B low	electronic	square	locking device	15	0.5	<170	750	640	2700	82	NS	4.3	NS	NS	0	NS		6/1/1999	http://catalog.gelighting.com/na	10,000	40,000	center	modular
31	GE Lighting	2D Lamp	FEA382D/3W/835/B low	electronic	square	locking device	15	0.5	<170	750	640	3500	82	NS	4.3	NS	NS	0	NS		6/1/1999	http://catalog.gelighting.com/na	10,000	40,000	center	modular
32	GE Lighting	2D Lamp	FEA382D/827/B	electronic	square	locking device	39	0.5	<170	2780	2365	2700	82	NS	4.3	NS	NS	0	NS		6/1/1999	http://catalog.gelighting.com/na	10,000	40,000	center	modular
33	GE Lighting	2D Lamp	FEA382D/835/B	electronic	square	locking device	39	0.5	<170	2780	2365	3500	82	NS	4.3	NS	NS	0	NS		6/1/1999	http://catalog.gelighting.com/na	10,000	40,000	center	modular
34	GE Lighting	Biax Lamps	FEA13TBX/I/827	electronic	triple tube	none	15	0.5	170	775	660	2700	82	NS	5.9	NS	NS	0	NS		6/1/1999	http://catalog.gelighting.com/na	10,000	40,000	center	modular
35	GE Lighting	Biax Lamps	FEA13TBX/I/830	electronic	triple tube	none	15	0.5	170	775	660	3000	82	NS	5.9	NS	NS	0	NS		6/1/1999	http://catalog.gelighting.com/na	10,000	40,000	center	modular
36	GE Lighting	Biax Lamps	FEA13TBX/I/835	electronic	triple tube	none	15	0.5	170	775	660	3500	82	NS	5.9	NS	NS	0	NS		6/1/1999	http://catalog.gelighting.com/na	10,000	40,000	center	modular
37	GE Lighting	Biax Lamps	FEA18TBX/I/827	electronic	triple tube	none	20	0.5	170	1100	935	2700	82	NS	6.5	NS	NS	0	NS		6/1/1999	http://catalog.gelighting.com/na	10,000	40,000	center	modular
38	GE Lighting	Biax Lamps	FEA18TBX/I/830	electronic	triple tube	none	20	0.5	170	1100	935	3000	82	NS	6.5	NS	NS	0	NS		6/1/1999	http://catalog.gelighting.com/na	10,000	40,000	center	modular
39	GE Lighting	Biax Lamps	FEA18TBX/I/835	electronic	triple tube	none	20	0.5	170	1100	935	3500	82	NS	6.5	NS	NS	0	NS		6/1/1999	http://catalog.gelighting.com/na	10,000	40,000	center	modular
40	Lights of America	Circle Lite	2602	magnetic	circular	none	22	NS	NS	1100 †	NS	3000	53	NS	3.5	NS	NS	0	7.99	Initial light output supplied for the base-down position.	6/1/1999	http://www.lightsofamerica.com/electronic.htm	10,000	45,000	center	modular
41	Lights of America	Circle Lite	2620	electronic	circular	none	20	NS	NS	1150 †	NS	2700	84	instant	3.5	NS	NS	-23	15.99	Initial light output supplied for the base-down position.	6/1/1999	http://www.lightsofamerica.com/electronic.htm	10,000	65,000	center	modular
42	Lights of America	Circle Lite	2622	electronic	circular	none	22	NS	NS	1550 †	NS	2700	84	instant	3.5	NS	NS	-23	15.99	Initial light output supplied for the base-down position.	6/1/1999	http://www.lightsofamerica.com/electronic.htm	10,000	65,000	center	modular
43	Lights of America	Circle Lite	2630	electronic	circular	none	30	NS	NS	2100 †	NS	2700	84	instant	3.5	NS	NS	-23	15.99	Initial light output supplied for the base-down position.	6/1/1999	http://www.lightsofamerica.com/electronic.htm	10,000	65,000	center	modular
44	Lights of America	Circle Lite	2730 (3-way@low)	electronic	circular	none	13	NS	NS	800 †	NS	2700	84	instant	3.5	NS	NS	-23	17.99	Initial light output supplied for the base-down position.	6/1/1999	http://www.lightsofamerica.com/electronic.htm	10,000	65,000	center	modular
45	Lights of America	Double-U-Lite	2614	magnetic	quad	none	15	NS	NS	775 †	NS	3000	84	NS	6.8	NS	NS	0	7.99	Initial light output supplied for the base-down position.	6/1/1999	http://www.lightsofamerica.com/electronic.htm	10,000	45,000	center	modular
46	Lights of America	Mighty Lite	2992	electronic	circular	none	30	NS	NS	2000 †	NS	2700	84	instant	3.5	NS	NS	-23	24.99	Initial light output supplied for the base-down position.	6/1/1999	http://www.lightsofamerica.com/electronic.htm	10,000	65,000	center	modular
47	Lights of America	Multi Lite	2633 (3-way@low)	electronic	circular	none	13	NS	NS	800 †	NS	2700	84	instant	3.5	NS	NS	-23	17.99	Initial light output supplied for the base-down position.	6/1/1999	http://www.lightsofamerica.com/electronic.htm	10,000	65,000	center	modular
48	Lights of America	Ready Lite	2990	electronic	circular	none	20	NS	NS	1100 †	NS	2700	84	instant	3.5	NS	NS	-23	24.99	Initial light output supplied for the base-down position.	6/1/1999	http://www.lightsofamerica.com/electronic.htm	10,000	65,000	center	modular
49	Lights of America	Reflectors	2931	electronic	quad	none	13	NS	NS	880 †	NS	2700	84	preheat	6.1	NS	NS	-23	19.99	Initial light output supplied for the base-down position.	6/1/1999	http://www.lightsofamerica.com/electronic.htm	10,000	65,000	center	modular
50	Lights of America	Reflectors	2941	electronic	quad	none	13	NS	NS	880 †	NS	2700	84	preheat	6.8	NS	NS	-23	19.99	Supplied for the base-down Initial light output supplied for the base-down position.	6/1/1999	http://www.lightsofamerica.com/electronic.htm	10,000	65,000	center	modular
51	Lights of America	Twin Lite	2213LPF	electronic	quad	none	13	NS	NS	775 †	NS	2700	84	preheat	6.4	NS	NS	-23	12.99	Initial light output supplied for the base-down position.	6/1/1999	http://www.lightsofamerica.com/electronic.htm	10,000	65,000	center	modular

Screwbase Compact Fluorescent Lamp Products
MANUFACTURER-SUPPLIED DATA

ID	Manufacturer	Trade Name	Catalog Number	Ballast Type	Lamp Envelope	Accessories Available	Active Power	Power Factor	THD	Initial Light Output	Mean Light Output	CCT	CRI	Starting Method	Max Overall Len	Weight	Max Ambient Temp	Min Ambient Temp	Sugg Retail Price	Comments	Date Updated	Mfr Website	Avg Rated Life	Ballast Rated Life	Lamp Base Position	Ballast Form
52	Lumatech	Microlamp	21320	magnetic	quad	globe cover, bullet cover	14	NS	<25	NS	NS	NS	NS	preheat	6.5	NS	NS	-7	NS		6/1/1999	http://www.lumatech.com	15,000	NS	center	modular
53	Lumatech	Microlamp	22220	magnetic	quad	none	22	NS	NS	NS	NS	NS	NS	preheat	NS	NS	NS	NS	NS		6/1/1999	http://www.lumatech.com	NS	NS	NS	modular
54	Lumatech	Microlamp	22820	magnetic	quad	none	28	NS	NS	NS	NS	NS	NS	preheat	NS	NS	NS	NS	NS		6/1/1999	http://www.lumatech.com	NS	NS	NS	modular
55	Lumatech	Reflect-A-Star	11835	electronic	triple tube	reflector, lens	19	>0.95	<30	NS	NS	NS	NS	instant	6.8	NS	NS	-18	NS		6/1/1999	http://www.lumatech.com	NS	NS	center	modular
56	Lumatech	Reflect-A-Star	11836	electronic	triple tube	reflector, lens	19	>0.95	<30	NS	NS	NS	NS	instant	6.8	NS	NS	-18	NS		6/1/1999	http://www.lumatech.com	NS	NS	center	modular
57	Lumatech	Reflect-A-Star	11323	magnetic	quad	reflector, lens	15	NS	<25	NS	NS	NS	NS	preheat	6.8	NS	NS	-7	NS		6/1/1999	http://www.lumatech.com	NS	NS	center	modular
58	Lumatech	Reflect-A-Star	11324	magnetic	quad	reflector, lens	15	NS	<25	NS	NS	NS	NS	preheat	6.8	NS	NS	-7	NS		6/1/1999	http://www.lumatech.com	NS	NS	center	modular
59	Lumatech	Reflect-A-Star	11325	magnetic	quad	reflector, lens	15	NS	<25	NS	NS	NS	NS	preheat	6.8	NS	NS	-7	NS		6/1/1999	http://www.lumatech.com	NS	NS	center	modular
60	Lumatech	Reflect-A-Star	11326	magnetic	quad	reflector, lens	15	NS	<25	NS	NS	NS	NS	preheat	7	NS	NS	-7	NS		6/1/1999	http://www.lumatech.com	NS	NS	center	modular
61	MaxLite	Downlights	SK320EBR	electronic	coiled tube	reflector, frosted capsule cover, lenses	20	0.6	>100	1200	960	2800	84	instant	6.9	8.8	71	-18	NS		6/1/1999	http://www.light-link.com/maxlite/maxlite2.html	10,000	20,000	center	modular
62	MaxLite	Electronic Circline	SK120ER	electronic	circular	locking device, batwing arm	20	0.6	>100	1300	1040	2800	84	instant	6.5	8	71	-18	NS		6/1/1999	http://www.light-link.com/maxlite/maxlite2.html	10,000	40,000	center	modular
63	MaxLite	Electronic Circline	SK120ERH	electronic	circular	locking device, batwing arm	20	0.97	<15	1300	1040	2800	84	instant	6.5	8	71	-18	NS		6/1/1999	http://www.light-link.com/maxlite/maxlite2.html	10,000	40,000	center	modular
64	MaxLite	Electronic Circline	SK122ER	electronic	circular	locking device, batwing arm	22	0.6	>100	1600	1350	2800	84	instant	8.3	8	71	-18	NS		6/1/1999	http://www.light-link.com/maxlite/maxlite2.html	10,000	40,000	center	modular
65	MaxLite	Electronic Circline	SK122ERH	electronic	circular	locking device, batwing arm	22	0.97	<15	1600	1350	2800	84	instant	8.3	8	71	-18	NS		6/1/1999	http://www.light-link.com/maxlite/maxlite2.html	10,000	40,000	center	modular
66	MaxLite	Electronic Circline	SK130ER	electronic	circular	locking device, batwing arm	30	0.6	>100	2000	1760	2800	84	instant	8.9	9.6	71	-18	NS		6/1/1999	http://www.light-link.com/maxlite/maxlite2.html	10,000	40,000	center	modular
67	MaxLite	Electronic Circline	SK130ERH	electronic	circular	locking device, batwing arm	30	0.97	<15	2000	1760	2800	84	instant	8.9	9.6	71	-18	NS		6/1/1999	http://www.light-link.com/maxlite/maxlite2.html	10,000	40,000	center	modular
68	MaxLite	Electronic Circline	SK320EAR	electronic	coiled tube	locking device, batwing arm	20	0.6	>100	1200	960	2800	84	instant	6.8	8.8	71	-18	NS		6/1/1999	http://www.light-link.com/maxlite/maxlite2.html	10,000	40,000	center	modular
69	MaxLite	Magnetic Circline	SK122MR (CCT 2800)	magnetic	circular	locking device, batwing arm	22	0.6	<15	1300	1040	2800	63	rapid	8.8	16	40	0	NS		6/1/1999	http://www.light-link.com/maxlite/maxlite2.html	7500	40,000	center	modular
70	Mitor	Compact	2D low	electronic	square	none	16	NS	NS	NS	NS	NS	NS	NS	4	6	NS	-40	NS		6/1/1999	http://www.mitor.com/product.htm	NS	NS	center	modular
71	Mitor	Compact	2D	electronic	square	none	28	NS	NS	NS	NS	NS	NS	NS	4.8	9	NS	-40	NS		6/1/1999	http://www.mitor.com/product.htm	NS	NS	center	modular
72	Mitor	Compact	2D	electronic	square	none	38	NS	NS	NS	NS	NS	NS	NS	4.8	9	NS	-40	NS		6/1/1999	http://www.mitor.com/product.htm	NS	NS	center	modular
73	Mitor	Compact	NS	electronic	triple tube	none	13	NS	NS	NS	NS	NS	NS	NS	6.2	6	NS	-40	NS		6/1/1999	http://www.mitor.com/product.htm	NS	NS	center	modular
74	Mitor	Compact	NS	electronic	triple tube	none	18	NS	NS	NS	NS	NS	NS	NS	6.8	6	NS	-40	NS		6/1/1999	http://www.mitor.com/product.htm	NS	NS	center	modular
75	Mitor	EH	CEH13 (CCT 2700)	electronic	triple tube	reflector	14	>0.90	<25	600	528	2700	82	rapid	7.1	3	60	-40	34.2		6/1/1999	http://www.mitor.com/product.htm	10,000	50,000	center	modular
76	Mitor	EH	CEH18 (CCT 2700)	electronic	triple tube	reflector	19	>0.90	<25	900	792	2700	82	rapid	8.3	3	60	-40	34.2		6/1/1999	http://www.mitor.com/product.htm	10,000	50,000	center	modular
77	Mitor	EL	CEL13 (CCT 2700)	electronic	triple tube	reflector	14	0.55	>110	600	528	2700	82	rapid	7.1	3	60	-40	31.2		6/1/1999	http://www.mitor.com/product.htm	10,000	50,000	center	modular
78	Mitor	EL	CEL18 (CCT 2700)	electronic	triple tube	reflector	19	0.55	>110	900	792	2700	82	rapid	8.3	3	60	-40	31.2		6/1/1999	http://www.mitor.com/product.htm	10,000	50,000	center	modular
79	Mitor	Flood	AL-30	electronic	triple tube	none	NS	NS	NS	NS	NS	NS	NS	NS	6.8	8	NS	-40	16.95		6/1/1999	http://www.mitor.com/product.htm	NS	NS	center	modular
80	Mitor	Flood	AL-40	electronic	triple tube	none	NS	NS	NS	NS	NS	NS	NS	NS	6.8	8	NS	-40	16.95		6/1/1999	http://www.mitor.com/product.htm	NS	NS	center	modular
81	Mitor	Flood	BR-40	electronic	triple tube	none	NS	NS	NS	NS	NS	NS	NS	NS	7.3	9	NS	-40	9.95		6/1/1999	http://www.mitor.com/product.htm	NS	NS	center	modular
82	Mitor	Flood	ER-30	electronic	triple tube	none	NS	NS	NS	NS	NS	NS	NS	NS	6.9	9	NS	-40	9.95		6/1/1999	http://www.mitor.com/product.htm	NS	NS	center	modular
83	Mitor	Flood	PAR-38	electronic	triple tube	none	NS	NS	NS	NS	NS	NS	NS	NS	6.9	9	NS	-40	9.95		6/1/1999	http://www.mitor.com/product.htm	NS	NS	center	modular
84	Mitor	Flood	PLT-30	electronic	triple tube	frosted lens	NS	NS	NS	NS	NS	NS	NS	NS	6.8	9	NS	-40	9.95		6/1/1999	http://www.mitor.com/product.htm	NS	NS	center	modular
85	Mitor	Flood	PLT-40	electronic	triple tube	frosted lens	NS	NS	NS	NS	NS	NS	NS	NS	6.8	9	NS	-40	9.95		6/1/1999	http://www.mitor.com/product.htm	NS	NS	center	modular
86	Mitor	Power Compact	PCEN26 (CCT 2700)	electronic	triple tube	reflector	28	0.55	>110	1800	1584	2700	82	rapid	7.7	6	60	-40	53.84		6/1/1999	http://www.mitor.com/product.htm	10,000	50,000	center	modular
87	Mitor	Power Compact	PCEN32 (CCT 2700)	electronic	triple tube	reflector	34	0.55	>110	2400	2112	2700	82	rapid	8.4	6	60	-40	53.84		6/1/1999	http://www.mitor.com/product.htm	10,000	50,000	center	modular
88	Mitor	Power Compact	PCEN42 (CCT 2700)	electronic	triple tube	none	45	0.55	>110	3200	2816	2700	82	rapid	8.9	6	60	-40	57.52		6/1/1999	http://www.mitor.com/product.htm	10,000	50,000	center	modular
89	Mitor	Vapor Proof	VPSEH26 (CCT 2700)	electronic	triple tube	reflector	28	>0.90	<25	1800	1584	2700	82	rapid	6	11	60	-40	66.95		6/1/1999	http://www.mitor.com/product.htm	10,000	50,000	center	modular
90	Mitor	Vapor Proof	VPSEH32 (CCT 2700)	electronic	triple tube	reflector	34	>0.90	<25	2400	2112	2700	82	rapid	6.8	11	60	-40	66.95		6/1/1999	http://www.mitor.com/product.htm	10,000	50,000	center	modular
91	OSRAM SYLVANIA	DULUX EL	CF30EL/C/830/MED	electronic	circular	none	30	>0.93	<25	1850	1670	3000	82	instant	4	NS	50	-18	14.99		6/1/1999	http://www.sylvania.com/prodinfo/home/gp.htm	10,000	50,000	center	modular
92	ProLight	Circle	CL22H/D827	magnetic	circular	none	24	>0.90	<33	1300	NS	2700	84	NS	4.1	NS	NS	-18	NS		6/1/1999	http://www.prolight.com	10,000	70,000	center	modular
93	ProLight	Circle	CL22M/D827	magnetic	circular	none	22	>0.90	<33	1200	NS	2700	84	NS	3.5	NS	NS	-18	NS		6/1/1999	http://www.prolight.com	10,000	70,000	center	modular
94	ProLight	Circle	CL30/D827	electronic	circular	none	30	>0.90	<33	1800	NS	2700	84	NS	4.1	NS	NS	-18	NS		6/1/1999	http://www.prolight.com	10,000	70,000	center	modular
95	ProLight	Circle	CL30H/D827	electronic	circular	none	30	>0.90	<33	1800	NS	2700	84	NS	3.5	NS	NS	-18	NS		6/1/1999	http://www.prolight.com	10,000	70,000	center	modular
96	ProLight	Circle	CL30H/D827/L9	electronic	circular	none	30	>0.90	<33	2100	NS	2700	84	NS	3.5	NS	NS	-18	NS		6/1/1999	http://www.prolight.com	10,000	70,000	center	modular
97	ProLight	Floodlamp	ER30-453WQ	magnetic	quad	none	15	0.53	<15	NS	NS	2700	84	NS	7.5	NS	NS	-37	NS		6/1/1999	http://www.prolight.com	10,000	70,000	center	modular
98	ProLight	Floodlamp	ER30-613WQ	magnetic	quad	none	15	0.47	<15	NS	NS	2700	84	NS	6.6	NS	NS	-37	NS		6/1/1999	http://www.prolight.com	10,000	70,000	center	

Screwbase Compact Fluorescent Lamp Products
MANUFACTURER-SUPPLIED DATA

ID	Manufacturer	Trade Name	Catalog Number	Ballast Type	Lamp Envelope	Accessories Available	Active Power	Power Factor	THD	Initial Light Output	Mean Light Output	CCT	CRI	Starting Method	Max Overall Len	Weight	Max Ambient Temp	Min Ambient Temp	Sugg Retail Price	Comments	Date Updated	Mfr Website	Avg Rated Life	Ballast Rated Life	Lamp Base Position	Ballast Form
100	ProLight	Floodlamp	P38-453WQ	magnetic	quad	none	15	0.53	<15	NS	NS	2700	84	NS	7.5	NS	NS	-37	NS		6/1/1999	http://www.prolight.com	10,000	70,000	center	modular
101	ProLight	Floodlamp	P38-613WQ	magnetic	quad	none	15	0.47	<15	NS	NS	2700	84	NS	6.6	NS	NS	-37	NS		6/1/1999	http://www.prolight.com	10,000	70,000	center	modular
102	ProLight	Floodlamp	P38-713WQ	magnetic	quad	none	15	0.53	<15	NS	NS	2700	84	NS	8	NS	NS	-37	NS		6/1/1999	http://www.prolight.com	10,000	70,000	center	modular
103	ProLight	Floodlamp	R40-453WQ	magnetic	quad	none	15	0.53	<15	NS	NS	2700	84	NS	8	NS	NS	-37	NS		6/1/1999	http://www.prolight.com	10,000	70,000	center	modular
104	ProLight	Floodlamp	R40-613WQ	magnetic	quad	none	15	0.47	<15	NS	NS	2700	84	NS	7.1	NS	NS	-37	NS		6/1/1999	http://www.prolight.com	10,000	70,000	center	modular
105	ProLight	Floodlamp	R40-713WQ	magnetic	quad	none	15	0.53	<15	NS	NS	2700	84	NS	8.5	NS	NS	-37	NS		6/1/1999	http://www.prolight.com	10,000	70,000	center	modular
106	ProLight	Horizontal	EH18W	electronic	quad	none	19	>0.90	<33	NS	NS	2800	84	NS	4.4	NS	NS	-18	NS		6/1/1999	http://www.prolight.com	10,000	70,000	side	modular
107	ProLight	Horizontal	EH27W	electronic	quad	none	24	>0.90	<33	NS	NS	2800	84	NS	4.4	NS	NS	-18	NS		6/1/1999	http://www.prolight.com	10,000	70,000	side	modular
108	ProLight	Horizontal	EH27W/HO	electronic	quad	none	29	>0.90	<33	NS	NS	2800	84	NS	4.4	NS	NS	-18	NS		6/1/1999	http://www.prolight.com	10,000	70,000	side	modular
109	ProLight	Horizontal	EH32W/HO	electronic	quad	none	31	>0.90	<33	NS	NS	2700	84	NS	4.4	NS	NS	-18	NS		6/1/1999	http://www.prolight.com	10,000	70,000	side	modular
110	ProLight	OMNI Flood	QCR38BFO	magnetic	quad	flood lens	14	NS	10	860	NS	2700	82	NS	6.4	NS	NS	-18	NS		6/1/1999	http://www.prolight.com	10,000	150,000	center	modular
111	ProLight	OMNI Flood	QCR38BSO	magnetic	quad	spot lens	14	NS	10	860	NS	2700	82	NS	6.4	NS	NS	-18	NS		6/1/1999	http://www.prolight.com	10,000	150,000	center	modular
112	ProLight	OMNI II	QR30B	magnetic	quad	open reflector	14	NS	10	860	NS	2700	82	NS	6.1	NS	NS	-18	NS		6/1/1999	http://www.prolight.com	10,000	150,000	center	modular
113	ProLight	OMNI II	QR30BF	magnetic	quad	flood lens	14	NS	10	860	NS	2700	82	NS	6.5	NS	NS	-18	NS		6/1/1999	http://www.prolight.com	10,000	150,000	center	modular
114	ProLight	OMNI II	QR30BP	magnetic	quad	none	14	NS	10	860	NS	2700	82	NS	6.6	NS	NS	-18	NS		6/1/1999	http://www.prolight.com	10,000	150,000	center	modular
115	ProLight	OMNI II	QR30BS	magnetic	quad	spot lens	14	NS	10	860	NS	2700	82	NS	6.5	NS	NS	-18	NS		6/1/1999	http://www.prolight.com	10,000	150,000	center	modular
116	ProLight	OMNI II	QR38B	magnetic	quad	open reflector	14	NS	10	860	NS	2700	82	NS	6	NS	NS	-18	NS		6/1/1999	http://www.prolight.com	10,000	150,000	center	modular
117	ProLight	OMNI II	QR38BF	magnetic	quad	flood lens	14	NS	10	860	NS	2700	82	NS	6.4	NS	NS	-18	NS		6/1/1999	http://www.prolight.com	10,000	150,000	center	modular
118	ProLight	OMNI II	QR38BP	magnetic	quad	none	14	NS	10	860	NS	2700	82	NS	6.4	NS	NS	-18	NS		6/1/1999	http://www.prolight.com	10,000	150,000	center	modular
119	ProLight	OMNI II	QR38BS	magnetic	quad	spot lens	14	NS	10	860	NS	2700	82	NS	6.4	NS	NS	-18	NS		6/1/1999	http://www.prolight.com	10,000	150,000	center	modular
120	ABCO	Integrated Electronic CFL	7364	electronic	quad	none	23	0.5	NS	600	NS	2700	82	instant	5.8	NS	NS	-23	NS		6/1/1999	http://www.angelobrothers.com/ind ex.html	10,000	NA	center	self-ballasted
121	ABCO	Integrated Electronic CFL	7365	electronic	quad	none	15	0.5	NS	900	NS	2700	82	instant	6.9	NS	NS	-23	NS		6/1/1999	http://www.angelobrothers.com/ind ex.html	10,000	NA	center	self-ballasted
122	ABCO	Integrated Electronic CFL	7366	electronic	quad	none	20	0.5	NS	1200	NS	2700	82	instant	7.2	NS	NS	-23	NS		6/1/1999	http://www.angelobrothers.com/ind ex.html	10,000	NA	center	self-ballasted
123	ABCO	Integrated Electronic CFL	7367	electronic	triple	none	23	0.5	NS	1500	NS	2700	82	instant	8.4	NS	NS	-23	NS		6/1/1999	http://www.angelobrothers.com/ind ex.html	10,000	NA	center	self-ballasted
124	ABCO	Light Capsule	7390	electronic	globe	none	15	0.58	NS	850	NS	2800	84	instant	5.1	NS	NS	-30	NS		6/1/1999	http://www.angelobrothers.com/ind ex.html	10,000	NA	center	self-ballasted
125	ABCO	Light Capsule	7395	electronic	capsule	none	15	0.58	NS	850	NS	2800	84	instant	5.3	NS	NS	-30	NS		6/1/1999	http://www.angelobrothers.com/ind ex.html	10,000	NA	center	self-ballasted
126	ABCO	Light Capsule	7396	electronic	capsule	none	20	0.58	NS	1200	NS	2800	84	instant	6.5	NS	NS	-30	NS		6/1/1999	http://www.angelobrothers.com/ind ex.html	10,000	NA	center	self-ballasted
127	ABCO	Light Capsule	7397	electronic	capsule	none	28	0.58	NS	1750	NS	2800	84	instant	6.6	NS	NS	-30	NS		6/1/1999	http://www.angelobrothers.com/ind ex.html	10,000	NA	center	self-ballasted
128	ABCO	Light Capsule	7398	electronic	globe	none	25	0.58	NS	1370	NS	2800	84	instant	5.3	NS	NS	-30	NS		6/1/1999	http://www.angelobrothers.com/ind ex.html	10,000	NA	center	self-ballasted
129	Feit Electric	ECO Bulb	BPESL13A (CCT 2700)	electronic	A-line	none	13	NS	NS	780	NS	2700	NS	instant	5.5	NS	NS	NS	NS		6/1/1999	http://www.feit.com/	8000	NA	center	self-ballasted
130	Feit Electric	ECO Bulb	BPESL13C	electronic	decorative	none	13	NS †	NS †	580	NS	NS	NS	instant	5.5	NS	NS	NS	NS	Power Factor - available in medium and high power factor. †THD - Dependent on medium or high power factor specifications.	6/1/1999	http://www.feit.com/	10,000	NA	center	self-ballasted
131	Feit Electric	ECO Bulb	BPESL15	electronic	coiled tube	none	15	NS	NS	900	NS	NS	NS	instant	6.7	NS	NS	NS	NS		6/1/1999	http://www.feit.com/	8000	NA	center	self-ballasted
132	Feit Electric	ECO Bulb	BPESL15	electronic	coiled tube	none	15	NS †	NS †	807	NS	NS	NS	instant	6.9	NS	NS	NS	NS	Power Factor - available in medium and high power factor. †THD - Dependent on medium or high power factor specifications.	6/1/1999	http://www.feit.com/	10,000	NA	center	self-ballasted
133	Feit Electric	ECO Bulb	BPESL15PAR30	electronic	reflector	none	15	NS	NS	900	NS	2700	NS	instant	5.8	NS	NS	NS	NS		6/1/1999	http://www.feit.com/	8000	NA	center	self-ballasted
134	Feit Electric	ECO Bulb	BPESL15R30	electronic	reflector	none	15	NS	NS	900	NS	2700	NS	instant	5.8	NS	NS	NS	NS		6/1/1999	http://www.feit.com/	8000	NA	center	self-ballasted
135	Feit Electric	ECO Bulb	BPESL15T (CCT 2700)	electronic	coiled tube	none	15	NS	NS	1000	NS	2700	NS	instant	4.3	NS	NS	NS	NS		6/1/1999	http://www.feit.com/	8000	NA	center	self-ballasted
136	Feit Electric	ECO Bulb	BPESL20T (CCT 2700)	electronic	coiled tube	none	20	NS	NS	1200	NS	2700	NS	instant	5.5	NS	NS	NS	NS		6/1/1999	http://www.feit.com/	8000	NA	center	self-ballasted
137	Feit Electric	ECO Bulb	BPESL23T (CCT 2700)	electronic	coiled tube	none	23	NS	NS	1400	NS	2700	NS	instant	5.9	NS	NS	NS	NS		6/1/1999	http://www.feit.com/	8000	NA	center	self-ballasted
138	Feit Electric	ECO Bulb	BPESL315	electronic	coiled tube	none	15	NS †	NS †	807	NS	NS	NS	instant	5.5	NS	NS	NS	NS	Power Factor - available in medium and high power factor. †THD - Dependent on medium or high power factor specifications.	6/1/1999	http://www.feit.com/	10,000	NA	center	self-ballasted
139	Feit Electric	ECO Bulb	BPESL316 (CCT 2700)	electronic	triple tube	none	16	NS	NS	1050	NS	2700	NS	instant	5.5	NS	NS	NS	NS		6/1/1999	http://www.feit.com/	8000	NA	center	self-ballasted
140	Feit Electric	ECO Bulb	BPESL316D (CCT 2700)	dimmmable electronic	triple tube	none	16	NS	NS	1050	NS	2700	NS	instant	5.5	NS	NS	NS	NS		6/1/1999	http://www.feit.com/	8000	NA	center	self-ballasted
141	Feit Electric	ECO Bulb	BPESL316SN (CCT 2700)	electronic	triple tube	sensor	16	NS	NS	1050	NS	2700	NS	instant	5.5	NS	NS	NS	NS		6/1/1999	http://www.feit.com/	8000	NA	center	self-ballasted
142	Feit Electric	ECO Bulb	BPESL320	electronic	coiled tube	none	20	NS †	NS †	1094	NS	NS	NS	instant	6.4	NS	NS	NS	NS	Power Factor - available in medium and high power factor. †THD - Dependent on medium or high power factor specifications.	6/1/1999	http://www.feit.com/	10,000	NA	center	self-ballasted
143	Feit Electric	ECO Bulb	BPESL322 (CCT 2700)	electronic	triple tube	none	22	NS	NS	1250	NS	2700	NS	instant	5.9	NS	NS	NS	NS		6/1/1999	http://www.feit.com/	8000	NA	center	self-ballasted
144	Feit Electric	ECO Bulb	BPESL322D (CCT 2700)	dimmmable electronic	triple tube	none	22	NS	NS	1250	NS	2700	NS	instant	5.9	NS	NS	NS	NS		6/1/1999	http://www.feit.com/	8000	NA	center	self-ballasted
145	Feit Electric	ECO Bulb	BPESL322SN (CCT 2700)	electronic	triple tube	sensor	22	NS	NS	1250	NS	2700	NS	instant	5.9	NS	NS	NS	NS		6/1/1999	http://www.feit.com/	8000	NA	center	self-ballasted

Screwbase Compact Fluorescent Lamp Products
MANUFACTURER-SUPPLIED DATA

ID	Manufacturer	Trade Name	Catalog Number	Ballast Type	Lamp Envelope	Accessories Available	Active Power	Power Factor	THD	Initial Light Output	Mean Light Output	CCT	Starting CRI	Max Overall Len	Weight	Max Ambient Temp	Min Ambient Temp	Sugg Retail Price	Comments	Date Updated	Mfr Website	Avg Rated Life	Ballast Rated Life	Lamp Base Position	Ballast Form
146	Feit Electric	ECO Bulb	BPESL324 (CCT 2700)	electronic	triple tube	none	24	NS	NS	1375	NS	2700	NS	instant	6	NS	NS	NS		6/1/1999	http://www.feit.com/	8000	NA	center	self-ballasted
147	Feit Electric	ECO Bulb	BPESL325	electronic	coiled tube	none	25	NS †	NS †	1367	NS	NS	NS	instant	7	NS	NS	NS	Power Factor - available in medium and high power factor. †THD - Dependent on medium or high power factor specifications.	6/1/1999	http://www.feit.com/	10,000	NA	center	self-ballasted
148	Feit Electric	ECO Bulb	BPESL326 (CCT 2700)	electronic	triple tube	none	26	NS	NS	1500	NS	2700	NS	instant	6.3	NS	NS	NS		6/1/1999	http://www.feit.com/	8000	NA	center	self-ballasted
149	Feit Electric	ECO Bulb	ESL13C	electronic	decorative	none	13	NS †	NS †	580	NS	NS	NS	instant	5.5	NS	NS	NS	Power Factor - available in medium and high power factor. †THD - Dependent on medium or high power factor specifications.	6/1/1999	http://www.feit.com/	10,000	NA	center	self-ballasted
150	Feit Electric	ECO Bulb	ESL15	electronic	coiled tube	none	15	NS †	NS †	807	NS	NS	NS	instant	6.9	NS	NS	NS	Power Factor - available in medium and high power factor. †THD - Dependent on medium or high power factor specifications.	6/1/1999	http://www.feit.com/	10,000	NA	center	self-ballasted
151	Feit Electric	ECO Bulb	ESL15C	electronic	capsule	none	15	NS †	NS †	807	NS	NS	NS	instant	6.3	NS	NS	NS	Power Factor - available in medium and high power factor. †THD - Dependent on medium or high power factor specifications.	6/1/1999	http://www.feit.com/	8000	NA	center	self-ballasted
152	Feit Electric	ECO Bulb	ESL15G	electronic	globe	none	15	NS †	NS †	807	NS	NS	NS	instant	6.9	NS	NS	NS	Power Factor - available in medium and high power factor. †THD - Dependent on medium or high power factor specifications.	6/1/1999	http://www.feit.com/	8000	NA	center	self-ballasted
153	Feit Electric	ECO Bulb	ESL16	electronic	circular	none	16	NS †	NS †	950	NS	NS	NS	instant	4.5	NS	NS	NS	Power Factor - available in medium and high power factor. †THD - Dependent on medium or high power factor specifications.	6/1/1999	http://www.feit.com/	10,000	NA	center	self-ballasted
154	Feit Electric	ECO Bulb	ESL20C (CCT 2700)	electronic	capsule	none	20	NS	NS	1200	NS	2700	NS	instant	6.3	NS	NS	NS		6/1/1999	http://www.feit.com/	8000	NA	center	self-ballasted
155	Feit Electric	ECO Bulb	ESL20G (CCT 2700)	electronic	globe	none	20	NS	NS	1200	NS	2700	NS	instant	6.3	NS	NS	NS		6/1/1999	http://www.feit.com/	8000	NA	center	self-ballasted
156	Feit Electric	ECO Bulb	ESL25PAR38	electronic	reflector	none	25	NS	NS	1500	NS	2700	NS	instant	6.5	NS	NS	NS		6/1/1999	http://www.feit.com/	8000	NA	center	self-ballasted
157	Feit Electric	ECO Bulb	ESL315 (CCT 2700)	electronic	coiled tube	none	15	NS †	NS †	807	NS	2700	NS	instant	5.5	NS	NS	NS	Power Factor - available in medium and high power factor. †THD - Dependent on medium or high power factor specifications.	6/1/1999	http://www.feit.com/	10,000	NA	center	self-ballasted
158	Feit Electric	ECO Bulb	ESL320 (CCT 2700)	electronic	coiled tube	none	20	NS †	NS †	1094	NS	2700	NS	instant	6.4	NS	NS	NS	Power Factor - available in medium and high power factor. †THD - Dependent on medium or high power factor specifications.	6/1/1999	http://www.feit.com/	10,000	NA	center	self-ballasted
159	Feit Electric	ECO Bulb	ESL325	electronic	coiled tube	none	25	NS †	NS †	1387	NS	NS	NS	instant	7	NS	NS	NS	Power Factor - available in medium and high power factor. †THD - Dependent on medium or high power factor specifications.	6/1/1999	http://www.feit.com/	10,000	NA	center	self-ballasted
160	GE Lighting	Biax Lamps	FLE15TBX/HPF/SPX27/SW	electronic	triple tube	locking device	15	0.95	<32	825	700	2700	82	NS	6	5	NS	-23	NS	6/1/1999	http://catalog.gelighting.com/na	10,000	NA	center	self-ballasted
161	GE Lighting	Biax Lamps	FLE15TBX/SPX27	electronic	triple tube	locking device	15	<0.60	170	900	765	2700	82	NS	5.2	5	NS	-23	NS	6/1/1999	http://catalog.gelighting.com/na	10,000	NA	center	self-ballasted
162	GE Lighting	Biax Lamps	FLE20TBX/HPF/SPX27/SW	electronic	triple tube	locking device	20	0.95	<32	1200	1020	2700	82	NS	6.6	5	NS	-23	NS	6/1/1999	http://catalog.gelighting.com/na	10,000	NA	center	self-ballasted
163	GE Lighting	Biax Lamps	FLE20TBX/SPX27	electronic	triple tube	locking device	20	<0.60	170	1200	1020	2700	82	NS	5.8	5	NS	-23	NS	6/1/1999	http://catalog.gelighting.com/na	10,000	NA	center	self-ballasted
164	GE Lighting	Biax Lamps	FLE24TBX/SPX27	electronic	triple tube	locking device	24	<0.60	170	1520	1290	2700	82	NS	6.7	5	NS	-23	NS	6/1/1999	http://catalog.gelighting.com/na	10,000	NA	center	self-ballasted
165	GE Lighting	Biax Lamps	FLE25TBX/HPF/SPX27/SW	electronic	triple tube	locking device	25	0.95	<32	1520	1290	2700	82	NS	6.9	5	NS	-23	NS	6/1/1999	http://catalog.gelighting.com/na	10,000	NA	center	self-ballasted
166	GE Lighting	Biax Lamps	FLE28QBX/SPX27	electronic	four-tube	locking device	28	<0.60	170	1750	1485	2700	82	NS	6.3	5	NS	-23	NS	6/1/1999	http://catalog.gelighting.com/na	10,000	NA	center	self-ballasted
167	GE Lighting	Biax Reflectors	FLE15TBX/L/R30	electronic	triple tube	color lens	15	<0.60	170	515	440	2700	82	NS	5.6	NS	NS	-23	NS	6/1/1999	http://catalog.gelighting.com/na	10,000	NA	center	self-ballasted
168	GE Lighting	Biax Reflectors	FLE20TBX/HPF/RFL/SW	electronic	triple tube	reflector	20	0.9	<32	800	680	2700	82	NS	6.2	NS	NS	-23	NS	6/1/1999	http://catalog.gelighting.com/na	10,000	NA	center	self-ballasted
169	GE Lighting	Biax Reflectors	FLE20TBX/L/R40	electronic	triple tube	color lens	20	<0.60	170	885	750	2700	82	NS	6.3	NS	NS	-23	NS	6/1/1999	http://catalog.gelighting.com/na	10,000	NA	center	self-ballasted
170	GE Lighting	Bullet	FLB17	magnetic	capsule	none	17	<0.50	<32	700	595	2800	82	NS	6.7	NS	NS	0	NS	6/1/1999	http://catalog.gelighting.com/na	9000	NA	center	self-ballasted
171	GE Lighting	Bullet	FLE15TBX/S/T19	electronic	capsule	none	15	<0.60	170	775	720	2700	82	NS	7.2	NS	NS	-23	NS	6/1/1999	http://catalog.gelighting.com/na	10,000	NA	center	self-ballasted
172	GE Lighting	Genura †	EL23/R25/27	electronic	reflector	none	23	0.55	130	1100	880	2700	82	NS	4.9	NS	NS	0	NS	6/1/1999	http://catalog.gelighting.com/na	15,000	NA	center	self-ballasted
173	GE Lighting	Genura †	EL23/R25/30	electronic	reflector	none	23	0.55	130	1100	880	3000	82	NS	4.9	NS	NS	0	NS	6/1/1999	http://catalog.gelighting.com/na	15,000	NA	center	self-ballasted

Screwbase Compact Fluorescent Lamp Products
MANUFACTURER-SUPPLIED DATA

ID	Manufacturer	Trade Name	Catalog Number	Ballast Type	Lamp Envelope	Accessories Available	Active Power	Power Factor	THD	Initial Light Output	Mean Light Output	CCT	CRI	Starting Method	Max Overall Len	Weight	Max Ambient Temp	Min Ambient Temp	Sugg Retail Price	Comments	Date Updated	Mfr Website	Avg Rated Life	Ballast Rated Life	Lamp Base Position	Ballast Form
174	GE Lighting	Globe	FLE15TBX/L/G29	electronic	globe	none	15	<0.60	170	650	550	2700	82	NS	5.8	NS	NS	-23	NS		6/1/1999	http://catalog.gelighting.com/na	10,000	NA	center	self-ballasted
175	GE Lighting	Globe	FLG15E	electronic	globe	none	15	0.5	<150	850	720	2700	82	NS	5.1	NS	NS	-18	NS		6/1/1999	http://catalog.gelighting.com/na	10,000	NA	center	self-ballasted
176	GE Lighting	Globe	FLG17	magnetic	globe	none	17	0.5	<32	700	650	2800	82	NS	7.4	NS	NS	0	NS		6/1/1999	http://catalog.gelighting.com/na	9000	NA	center	self-ballasted
177	Lights of America	Deco Bulb	2001	electronic	decorative		13	NS	NS	720 †	NS	2700	84	preheat	6.3	NS	NS	-23	9.99	Initial Light Output - Supplied for the base-down position.	6/1/1999	http://www.lightsofamerica.com/electronic.htm	10,000	NA	center	self-ballasted
178	Lights of America	Mega Lite	2332	electronic	triple tube		34	NS	NS	2050 †	NS	2700	84	preheat	6.7	NS	NS	-23	17.99	Initial Light Output - Supplied for the base-down position.	6/1/1999	http://www.lightsofamerica.com/electronic.htm	10,000	NA	center	self-ballasted
179	Lights of America	Mega Lite	2342	electronic	triple tube		45	NS	NS	3000 †	NS	2700	84	preheat	6.9	NS	NS	-23	17.99	Initial Light Output - Supplied for the base-down position.	6/1/1999	http://www.lightsofamerica.com/electronic.htm	10,000	NA	center	self-ballasted
180	Lights of America	The Bulb	2000	electronic	A-line		13	NS	NS	720 †	NS	2700	84	preheat	5.8	NS	NS	-23	9.99	Initial Light Output - Supplied for the base-down position.	6/1/1999	http://www.lightsofamerica.com/electronic.htm	10,000	NA	center	self-ballasted
181	Lights of America	Tri-Lite	2315	electronic	triple tube		15	NS	NS	840 †	NS	2700	84	preheat	5	NS	NS	-23	9.99	Initial Light Output - Supplied for the base-down position.	6/1/1999	http://www.lightsofamerica.com/electronic.htm	10,000	NA	center	self-ballasted
182	Lights of America	Tri-Lite	2320	electronic	triple tube		20	NS	NS	1150 †	NS	2700	84	preheat	5.5	NS	NS	-23	9.99	Initial Light Output - Supplied for the base-down position.	6/1/1999	http://www.lightsofamerica.com/electronic.htm	10,000	NA	center	self-ballasted
183	Lights of America	Tri-Lite	2325	electronic	triple tube		25	NS	NS	1380 †	NS	2700	84	preheat	6.4	NS	NS	-23	9.99	Initial Light Output - Supplied for the base-down position.	6/1/1999	http://www.lightsofamerica.com/electronic.htm	10,000	NA	center	self-ballasted
184	Lights of America	Twister Bulb	2420	electronic	coiled tube		20	NS	NS	1200 †	NS	2700	84	preheat	5.2	NS	NS	-23	12.99	Initial Light Output - Supplied for the base-down position.	6/1/1999	http://www.lightsofamerica.com/electronic.htm	10,000	NA	center	self-ballasted
185	Link USA	Link USA	SLKG100	electronic	coiled tube	none	23	0.65	30	1380	NS	NS	82	instant	5.5	6.5	NS	NS	18		6/1/1999	http://linkusa.bola.net/index2.htm	10,000	NA	NS	self-ballasted
186	Litetrronics	Spiral-Lite	F15 SPL (L-315)	electronic	coiled tube	none	15	NS	NS	900	NS	2700	85	NS	5.1	NS	NS	NS	NS		6/1/1999	http://www.litetrronics.com	10,000	NA	center	self-ballasted
187	Litetrronics	Spiral-Lite	F20 SPL (L-320)	electronic	coiled tube	none	20	NS	NS	1200	NS	2700	85	NS	5.7	NS	NS	NS	NS		6/1/1999	http://www.litetrronics.com	10,000	NA	center	self-ballasted
188	Litetrronics	Spiral-Lite	F23 SPL (L-323)	electronic	coiled tube	none	23	NS	NS	1440	NS	2700	85	NS	5.7	NS	NS	NS	NS		6/1/1999	http://www.litetrronics.com	10,000	NA	center	self-ballasted
189	MaxLite	Downlights	SK320EBH (CCT 2800)	electronic	coiled tube	reflector, lenses	20	0.97	<15	1200	NS	2800	84	instant	6.9	8.8	71	-18	NS		6/1/1999	http://www.light-link.com/maxlite/maxlite2.html	10,000	NA	center	self-ballasted
190	MaxLite	Downlights	SK320EBHLN	electronic	coiled tube	long neck, reflector	20	0.97	<15	1200	NS	2800	84	instant	7.3	8.8	71	-18	NS		6/1/1999	http://www.light-link.com/maxlite/maxlite2.html	10,000	NA	center	self-ballasted
191	MaxLite	Downlights	SK323EBH	electronic	coiled tube	reflector, lenses	23	0.97	<15	1500	NS	2800	84	instant	7.3	8.8	71	-18	NS		6/1/1999	http://www.light-link.com/maxlite/maxlite2.html	10,000	NA	center	self-ballasted
192	MaxLite	Downlights	SKM315EB (CCT 2800)	electronic	coiled tube	reflector, lenses	15	0.6	>100	900	NS	2800	84	instant	6	6.4	71	-18	NS		6/1/1999	http://www.light-link.com/maxlite/maxlite2.html	10,000	NA	center	self-ballasted
193	MaxLite	Magnetic Capsule	SK217MC (CCT 2800)	magnetic	coiled tube	frosted capsule cover	17	0.6	<15	700	NS	2800	84	rapid	7.7	16.5	40	0	NS		6/1/1999	http://www.light-link.com/maxlite/maxlite2.html	7500	NA	center	self-ballasted
194	MaxLite	Magnetic CFL	SK217MA (CCT 2800)	magnetic	coiled tube	clear lamp cover	17	0.6	<15	780	NS	2800	84	rapid	6.2	15.2	40	0	NS		6/1/1999	http://www.light-link.com/maxlite/maxlite2.html	7500	NA	center	self-ballasted
195	MaxLite	Mini-Max	SKM315EA (CCT 2800)	electronic	coiled tube	none	15	0.6	>100	900	720	2800	84	instant	5.8	4.8	71	-18	NS		6/1/1999	http://www.light-link.com/maxlite/maxlite2.html	10,000	NA	center	self-ballasted
196	MaxLite	Mini-Max	SKM315EAH	electronic	coiled tube	none	15	0.97	<15	900	720	2800	84	instant	5.8	4.8	71	-18	NS		6/1/1999	http://www.light-link.com/maxlite/maxlite2.html	10,000	NA	center	self-ballasted
197	MaxLite	SpiraMax	SKS20EA (CCT 2800)	electronic	coiled tube	none	20	0.6	>100	1250	NS	2800	84	instant	5.1	4.2	71	-18	NS		6/1/1999	http://www.light-link.com/maxlite/maxlite2.html	10,000	NA	center	self-ballasted
198	MaxLite	Tri-Max	SKT320EAH (CCT2800)	electronic	triple tube	none	20	0.97	<15	1200	NS	2800	84	instant	6.4	5.1	71	-18	NS		6/1/1999	http://www.light-link.com/maxlite/maxlite2.html	10,000	NA	center	self-ballasted
199	MaxLite	Tri-Max	SKT323EAH	electronic	triple tube	none	23	0.97	<15	1500	NS	2800	84	instant	7.7	4.8	71	-18	NS		6/1/1999	http://www.light-link.com/maxlite/maxlite2.html	10,000	NA	center	self-ballasted
200	Mitor	Powerlum	MTH15 (CCT 2700)	electronic	triple tube	none	15	>0.90	<25	900	792	2700	82	instant	5.7	4	60	-40	17.95		6/1/1999	http://www.mitor.com/product.htm	10,000	NA	center	self-ballasted
201	Mitor	Powerlum	MTH20 (CCT 2700)	electronic	triple tube	none	20	>0.90	<25	1200	1056	2700	82	instant	6	4	60	-40	18.95		6/1/1999	http://www.mitor.com/product.htm	10,000	NA	center	self-ballasted
202	Mitor	Powerlum	MTH23 (CCT 2700)	electronic	triple tube	none	23	>0.90	<25	1500	1230	2700	82	instant	6.8	4	60	-40	19.95		6/1/1999	http://www.mitor.com/product.htm	10,000	NA	center	self-ballasted
203	Mitor	Powerlum	MTL15 (CCT 2700)	dimmmable electronic	triple tube	photocell	15	0.55	>110	900	792	2700	82	instant	5.7	4	60	-40	15.95		6/1/1999	http://www.mitor.com/product.htm	10,000	NA	center	self-ballasted
204	Mitor	Powerlum	MTL20 (CCT 2700)	dimmmable electronic	triple tube	none	20	0.55	>110	1200	1056	2700	82	instant	6	4	60	-40	15.95		6/1/1999	http://www.mitor.com/product.htm	10,000	NA	center	self-ballasted
205	Mitor	Powerlum	MTL23 (CCT 2700)	dimmmable electronic	triple tube	none	23	0.55	>110	1500	1230	2700	82	instant	6.8	4	60	-40	17.95		6/1/1999	http://www.mitor.com/product.htm	10,000	NA	center	self-ballasted
206	OSRAM SYLVANIA	DULUX EL	CF13EL/830/MED	electronic	quad	none	13	0.6	160	550	500	3000	82	instant	5.6	3.4	50	-30	10.5		6/1/1999	http://www.sylvania.com/prodinfo/home/gp.htm	6000	NA	center	self-ballasted
207	OSRAM SYLVANIA	DULUX EL	CF15EL/830/MED	electronic	triple tube	none	15	0.6	160	925	830	3000	82	instant	5.6	1.5	38	-30	12.99		6/1/1999	http://www.sylvania.com/prodinfo/home/gp.htm	10,000	NA	center	self-ballasted
208	OSRAM SYLVANIA	DULUX EL	CF15EL/G30/830/MED	electronic	globe	none	15	0.6	160	725	650	3000	82	instant	6.5	NS	38	-30	19.95		6/1/1999	http://www.sylvania.com/prodinfo/home/gp.htm	10,000	NA	center	self-ballasted
209	OSRAM SYLVANIA	DULUX EL	CF15EL/R30/830/MED	electronic	reflector	none	15	0.6	160	600	540	3000	82	instant	5.8	NS	38	-30	19.95		6/1/1999	http://www.sylvania.com/prodinfo/home/gp.htm	10,000	NA	center	self-ballasted
210	OSRAM SYLVANIA	DULUX EL	CF20EL/830/MED	electronic	triple tube	none	20	0.6	160	1280	1150	3000	82	instant	6.3	1.5	38	-30	12.99		6/1/1999	http://www.sylvania.com/prodinfo/home/gp.htm	10,000	NA	center	self-ballasted
211	OSRAM SYLVANIA	DULUX EL	CF20EL/G40/830/MED	electronic	globe	none	20	0.6	160	1000	900	3000	82	instant	7.3	NS	38	-30	19.95		6/1/1999	http://www.sylvania.com/prodinfo/home/gp.htm	10,000	NA	center	self-ballasted
212	OSRAM SYLVANIA	DULUX EL	CF20EL/R40/830/MED	electronic	reflector	none	20	0.6	160	875	790	3000	82	instant	6.3	NS	38	-30	19.99		6/1/1999	http://www.sylvania.com/prodinfo/home/gp.htm	10,000	NA	center	self-ballasted
213	OSRAM SYLVANIA	DULUX EL	CF23EL/830/MED	electronic	triple tube	none	23	0.6	160	1580	1420	3000	82	instant	6.8	1.5	38	-30	12.99		6/1/1999	http://www.sylvania.com/prodinfo/home/gp.htm	10,000	NA	center	self-ballasted

Screwbase Compact Fluorescent Lamp Products
MANUFACTURER-SUPPLIED DATA

ID	Manufacturer	Trade Name	Catalog Number	Ballast Type	Lamp Envelope	Accessories Available	Active Power	Power Factor	THD	Initial Light Output	Mean Light Output	CCT	CRI	Starting Method	Max Overall Len	Weight	Max Ambient Temp	Min Ambient Temp	Sugg Retail Price	Comments	Date Updated	Mfr Website	Avg Rated Life	Ballast Rated Life	Lamp Base Position	Ballast Form
214	OSRAM SYLVANIA	DULUX EL	CF17EL/830/MED	electronic	quad	none	17	0.6	160	950	860	3000	82	instant	7.3	4.1	50	-30	10.5		6/1/1999	http://www.sylvania.com/prodinfo/home/gp.htm	6000	NA	center	self-ballasted
215	Panasonic	Light Capsule	EFG15E28	electronic	capsule	reflector, locking device	15	NS	NS	850	NS	2800	84	instant	5.1	5.6	50	-30	NS		6/1/1999	http://www.panasonic.com/MHCC/pl/index.html	10,000	NA	center	self-ballasted
216	Panasonic	Light Capsule	EFG15E50	electronic	capsule	reflector, locking device	15	NS	NS	810	NS	5000	88	instant	5.1	5.6	50	-30	NS		6/1/1999	http://www.panasonic.com/MHCC/pl/index.html	10,000	NA	center	self-ballasted
217	Panasonic	Light Capsule	EFG25E28	electronic	capsule	reflector, locking device	25	NS	NS	1370	NS	2800	84	instant	5.3	6.4	50	-30	NS		6/1/1999	http://www.panasonic.com/MHCC/pl/index.html	10,000	NA	center	self-ballasted
218	Panasonic	Light Capsule	EFG25E50	electronic	capsule	reflector, locking device	25	NS	NS	1320	NS	5000	88	instant	5.3	6.4	50	-30	NS		6/1/1999	http://www.panasonic.com/MHCC/pl/index.html	10,000	NA	center	self-ballasted
219	Panasonic	Light Capsule	EFT15E28	electronic	capsule	reflector, locking device	15	NS	NS	850	NS	2800	84	instant	5.3	4.5	50	-30	NS		6/1/1999	http://www.panasonic.com/MHCC/pl/index.html	10,000	NA	center	self-ballasted
220	Panasonic	Light Capsule	EFT15E28.UHD	electronic	capsule	reflector, locking device	15	<0.90	<25	810	NS	2800	84	instant	5.3	4.6	50	-30	NS		6/1/1999	http://www.panasonic.com/MHCC/pl/index.html	10,000	NA	center	self-ballasted
221	Panasonic	Light Capsule	EFT15E50	electronic	capsule	reflector, locking device	15	NS	NS	810	NS	5000	88	instant	5.3	4.5	50	-30	NS		6/1/1999	http://www.panasonic.com/MHCC/pl/index.html	10,000	NA	center	self-ballasted
222	Panasonic	Light Capsule	EFT20E28	electronic	capsule	reflector, locking device	20	NS	NS	1200	NS	2800	84	instant	6.2	5.3	50	-30	NS		6/1/1999	http://www.panasonic.com/MHCC/pl/index.html	10,000	NA	center	self-ballasted
223	Panasonic	Light Capsule	EFT20E28.UHD	electronic	capsule	reflector, locking device	20	<0.90	<25	1100	NS	2800	84	instant	6.2	5.3	50	-30	NS		6/1/1999	http://www.panasonic.com/MHCC/pl/index.html	10,000	NA	center	self-ballasted
224	Panasonic	Light Capsule	EFT20E50	electronic	capsule	reflector, locking device	20	NS	NS	1150	NS	5000	88	instant	6.2	5.3	50	-30	NS		6/1/1999	http://www.panasonic.com/MHCC/pl/index.html	10,000	NA	center	self-ballasted
225	Panasonic	Light Capsule	EFT28E28	electronic	capsule	reflector, locking device	28	NS	NS	1750	NS	2800	84	instant	6.7	6.7	50	-30	NS		6/1/1999	http://www.panasonic.com/MHCC/pl/index.html	10,000	NA	center	self-ballasted
226	Panasonic	Light Capsule	EFT28E50	electronic	capsule	reflector, locking device	28	NS	NS	1680	NS	5000	88	instant	6.7	6.7	50	-30	NS		6/1/1999	http://www.panasonic.com/MHCC/pl/index.html	10,000	NA	center	self-ballasted
227	Panasonic	Performance Collection	EFS15E27	electronic	quad	reflector	15	NS	NS	900	NS	2700	84	instant	6	2.9	50	-30	NS		6/1/1999	http://www.panasonic.com/MHCC/pl/index.html	10,000	NA	center	self-ballasted
228	Panasonic	Performance Collection	EFS20E27	electronic	quad	none	20	NS	NS	1200	NS	2700	84	instant	6.8	3.5	50	-30	NS		6/1/1999	http://www.panasonic.com/MHCC/pl/index.html	10,000	NA	center	self-ballasted
229	Panasonic	Reflector Light Capsule	EFG15E28R	electronic	capsule	locking device	15	NS	NS	550	NS	2800	84	instant	5.4	4.6	50	-30	NS		6/1/1999	http://www.panasonic.com/MHCC/pl/index.html	10,000	NA	center	self-ballasted
230	Philips	Earth Light Bug-A-Way	EL/O 15 BAW	electronic	capsule	none	15	0.55-0.62	NS	750	635	NA	NA	NS	5.4	NS	60	-23	NS		6/1/1999	http://www.lighting.philips.com/nam/feature/earthlight/elight.shtml	10,000	NA	center	self-ballasted
231	Philips	Earth Light Decor Globe	SLS/G30 15	electronic	globe	none	15	0.55-0.62	NS	750	635	2700	82	NS	5.7	NS	60	-23	NS		6/1/1999	http://www.lighting.philips.com/nam/feature/earthlight/elight.shtml	10,000	NA	center	self-ballasted
232	Philips	Earth Light Decor Globe	SLS/G40 15	electronic	globe	none	15	0.55-0.62	NS	750	635	2700	82	NS	6.7	NS	60	-23	NS		6/1/1999	http://www.lighting.philips.com/nam/feature/earthlight/elight.shtml	10,000	NA	center	self-ballasted
233	Philips	Earth Light Dimmable	SLS/D 23	dimmmable electronic	triple tube	none	23	0.50-0.70	NS	1500	1275	2700	82	NS	6.6	NS	60	0	NS		6/1/1999	http://www.lighting.philips.com/nam/feature/earthlight/elight.shtml	10,000	NA	center	self-ballasted
234	Philips	Earth Light Flood	SLS/R30 15	electronic	triple tube	reflector	15	0.55-0.62	NS	500	425	2700	82	NS	6	NS	60	-23	NS		6/1/1999	http://www.lighting.philips.com/nam/feature/earthlight/elight.shtml	8000	NA	center	self-ballasted
235	Philips	Earth Light Flood	SLS/R30 20	electronic	triple tube	reflector	20	0.55-0.62	NS	575	485	2700	82	NS	6	NS	60	-23	NS		6/1/1999	http://www.lighting.philips.com/nam/feature/earthlight/elight.shtml	8000	NA	center	self-ballasted
236	Philips	Earth Light Flood	SLS/R40 15	electronic	triple tube	reflector	15	0.55-0.62	NS	625	530	2700	82	NS	6.6	NS	60	-23	NS		6/1/1999	http://www.lighting.philips.com/nam/feature/earthlight/elight.shtml	8000	NA	center	self-ballasted
237	Philips	Earth Light Flood	SLS/R40 20	electronic	triple tube	reflector	20	0.55-0.62	NS	825	700	2700	82	NS	6.6	NS	60	-23	NS		6/1/1999	http://www.lighting.philips.com/nam/feature/earthlight/elight.shtml	8000	NA	center	self-ballasted
238	Philips	Earth Light Outdoor	EL/O 15	electronic	capsule	none	15	0.55-0.62	NS	800	680	2700	82	NS	5.4	NS	60	-23	NS		6/1/1999	http://www.lighting.philips.com/nam/feature/earthlight/elight.shtml	10,000	NA	center	self-ballasted
239	Philips	Earth Light Outdoor	EL/O 18	electronic	capsule	none	18	0.55-0.62	NS	1100	935	2700	82	NS	6.1	NS	60	-23	NS		6/1/1999	http://www.lighting.philips.com/nam/feature/earthlight/elight.shtml	10,000	NA	center	self-ballasted
240	Philips	Earth Light Table Lamp	EL/T 15	electronic	triple tube	none	15	0.55-0.62	NS	900	765	2700	82	NS	5.6	NS	38	0	NS		6/1/1999	http://www.lighting.philips.com/nam/feature/earthlight/elight.shtml	7000	NA	center	self-ballasted
241	Philips	Earth Light Table Lamp	EL/T 18	electronic	triple tube	none	18	0.55-0.62	NS	1150	975	2700	82	NS	6.3	NS	38	0	NS		6/1/1999	http://www.lighting.philips.com/nam/feature/earthlight/elight.shtml	7000	NA	center	self-ballasted
242	Philips	Earth Light Universal	SLS 15	electronic	triple tube	none	15	0.55-0.62	NS	900	765	2700	82	NS	4.8	NS	60	-23	NS		6/1/1999	http://www.lighting.philips.com/nam/feature/earthlight/elight.shtml	10,000	NA	center	self-ballasted
243	Philips	Earth Light Universal	SLS 20	electronic	triple tube	none	20	0.55-0.62	NS	1200	1020	2700	82	NS	5.5	NS	60	-23	NS		6/1/1999	http://www.lighting.philips.com/nam/feature/earthlight/elight.shtml	10,000	NA	center	self-ballasted
244	Philips	Earth Light Universal	SLS 23	electronic	triple tube	none	23	0.55-0.62	NS	1500	1275	2700	82	NS	6.2	NS	60	-23	NS		6/1/1999	http://www.lighting.philips.com/nam/feature/earthlight/elight.shtml	10,000	NA	center	self-ballasted
245	Philips	Earth Light Universal	SLS 25	electronic	triple tube	none	25	0.55-0.62	NS	1750	1490	2700	82	NS	6.2	NS	60	-23	NS		6/1/1999	http://www.lighting.philips.com/nam/feature/earthlight/elight.shtml	10,000	NA	center	self-ballasted

Screwbase Compact Fluorescent Lamp Products
MANUFACTURER-SUPPLIED DATA

ID	Manufacturer	Trade Name	Catalog Number	Ballast Type	Lamp Envelope	Accessories Available	Active Power	Power Factor	THD	Initial Light Output	Mean Light Output	CCT	Starting CRI	Max Overall Len	Weight	Max Ambient Temp	Min Ambient Temp	Sugg Retail Price	Comments	Date Updated	Mfr Website	Avg Rated Life	Ballast Rated Life	Lamp Base Position	Ballast Form
246	Philips	Earth Light Universal	RH SLS/RH 16	electronic	triple tube	none	16	>0.90	Š32	900	765	2700	82	NS	5.3	NS	60	-23	NS	6/1/1999	http://www.lighting.philips.com/nam/feature/earthlight/elight.shtml	10,000	NA	center	self-ballasted
247	Philips	Earth Light Universal	RH SLS/RH 20	electronic	triple tube	none	20	>0.90	Š32	1200	1020	2700	82	NS	6	NS	60	-23	NS	6/1/1999	http://www.lighting.philips.com/nam/feature/earthlight/elight.shtml	10,000	NA	center	self-ballasted
248	Philips	Earth Light Universal	RH SLS/RH 23	electronic	triple tube	none	23	>0.90	Š32	1500	1275	2700	82	NS	6.6	NS	60	-23	NS	6/1/1999	http://www.lighting.philips.com/nam/feature/earthlight/elight.shtml	10,000	NA	center	self-ballasted
249	ProLight	Twister	ET15	electronic	coiled tube	none	15	NS	NS	800	NS	2700	85	NS	5	NS	NS	NS	NS	6/1/1999	http://www.prolight.com	10,000	NA	center	self-ballasted
250	ProLight	Twister	ET18	electronic	coiled tube	none	18	NS	NS	1100	NS	2700	85	NS	5.3	NS	NS	NS	NS	6/1/1999	http://www.prolight.com	10,000	NA	center	self-ballasted
251	ProLight	Twister	ET23	electronic	coiled tube	none	23	NS	NS	1350	NS	2700	85	NS	6	NS	NS	NS	NS	6/1/1999	http://www.prolight.com	10,000	NA	center	self-ballasted
252	ProLight	Twister	R32/ET15	electronic	coiled tube	reflector	15	NS	NS	580	NS	2700	85	NS	5.5	NS	NS	NS	NS	6/1/1999	http://www.prolight.com	10,000	NA	center	self-ballasted
253	ProLight	Twister	R32/ET18	electronic	coiled tube	reflector	18	NS	NS	800	NS	2700	85	NS	5.5	NS	NS	NS	NS	6/1/1999	http://www.prolight.com	10,000	NA	center	self-ballasted
254	ProLight	Twister	R32/ET23	electronic	coiled tube	reflector	23	NS	NS	1350	NS	2700	85	NS	5.8	NS	NS	NS	NS	6/1/1999	http://www.prolight.com	10,000	NA	center	self-ballasted
255	ProLight	Twister	R40/ET18	electronic	coiled tube	reflector	18	NS	NS	1100	NS	2700	85	NS	6	NS	NS	NS	NS	6/1/1999	http://www.prolight.com	10,000	NA	center	self-ballasted
256	ProLight	Twister	R40/ET23	electronic	coiled tube	reflector	23	NS	NS	1350	NS	2700	85	NS	6	NS	NS	NS	NS	6/1/1999	http://www.prolight.com	10,000	NA	center	self-ballasted
257	GE Lighting	2D Lamp	FEA382D/3W/827/B med	electronic	square	locking device	25	0.5	<170	1570	1335	2700	82	NS	4.3	NS	NS	0	NS	6/1/1999	http://catalog.gelighting.com/na	10,000	40,000	center	modular
258	GE Lighting	2D Lamp	FEA382D/3W/835/B med	electronic	square	locking device	25	0.5	<170	1570	1335	3500	82	NS	4.3	NS	NS	0	NS	6/1/1999	http://catalog.gelighting.com/na	10,000	40,000	center	modular
259	GE Lighting	2D Lamp	FEA382D/3W/827/B high	electronic	square	locking device	39	0.5	<170	2780	2365	2700	82	NS	4.3	NS	NS	0	NS	6/1/1999	http://catalog.gelighting.com/na	10,000	40,000	center	modular
260	GE Lighting	2D Lamp	FEA382D/3W/835/B high	electronic	square	locking device	39	0.5	<170	2780	2365	3500	82	NS	4.3	NS	NS	0	NS	6/1/1999	http://catalog.gelighting.com/na	10,000	40,000	center	modular
261	Lights of America	Multi Lite	2633 (3-way@med)	electronic	circular	none	23	NS	NS	1600 †	NS	2700	84	instant	3.5	NS	NS	-23	17.99	6/1/1999	http://www.lightsofamerica.com/electronic.htm	10,000	65,000	center	modular
262	Lights of America	Multi Lite	2633 (3-way@high)	electronic	circular	none	34	NS	NS	2100 †	NS	2700	84	instant	3.5	NS	NS	-23	17.99	6/1/1999	http://www.lightsofamerica.com/electronic.htm	10,000	65,000	center	modular
263	Lights of America	Circle Lite	2730 (3-way@med)	electronic	circular	none	23	NS	NS	1600 †	NS	2700	84	instant	3.5	NS	NS	-23	17.99	6/1/1999	http://www.lightsofamerica.com/electronic.htm	10,000	65,000	center	modular
264	Lights of America	Circle Lite	2730 (3-way@high)	electronic	circular	none	34	NS	NS	2100 †	NS	2700	84	instant	3.5	NS	NS	-23	17.99	6/1/1999	http://www.lightsofamerica.com/electronic.htm	10,000	65,000	center	modular
265	Mitor	Compact	2D high	electronic	square	none	21	NS	NS	NS	NS	NS	NS	NS	4	6	NS	-40	NS	6/1/1999	http://www.mitor.com/product.html	NS	NS	center	modular
266	Feit Electric	ECO Bulb	BPESL13A (CCT 4100)	electronic	A-line	none	13	NS	NS	780	NS	4100	NS	instant	5.5	NS	NS	NS	NS	6/1/1999	http://www.feit.com/	8000	NA	center	self-ballasted
267	Feit Electric	ECO Bulb	BPESL15T (CCT 4100)	electronic	coiled tube	none	15	NS	NS	1000	NS	4100	NS	instant	4.3	NS	NS	NS	NS	6/1/1999	http://www.feit.com/	8000	NA	center	self-ballasted
268	Feit Electric	ECO Bulb	BPESL20T (CCT 4100)	electronic	coiled tube	none	20	NS	NS	1200	NS	4100	NS	instant	5.5	NS	NS	NS	NS	6/1/1999	http://www.feit.com/	8000	NA	center	self-ballasted
269	Feit Electric	ECO Bulb	BPESL23T (CCT 4100)	electronic	coiled tube	none	23	NS	NS	1400	NS	4100	NS	instant	5.9	NS	NS	NS	NS	6/1/1999	http://www.feit.com/	8000	NA	center	self-ballasted
270	Feit Electric	ECO Bulb	BPESL316 (CCT 4100)	electronic	triple tube	none	16	NS	NS	1050	NS	4100	NS	instant	5.5	NS	NS	NS	NS	6/1/1999	http://www.feit.com/	8000	NA	center	self-ballasted
271	Feit Electric	ECO Bulb	BPESL316D (CCT 4100)	dimmmable electronic	triple tube	none	16	NS	NS	1050	NS	4100	NS	instant	5.5	NS	NS	NS	NS	6/1/1999	http://www.feit.com/	8000	NA	center	self-ballasted
272	Feit Electric	ECO Bulb	BPESL316SN (CCT 4100)	electronic	triple tube	sensor	16	NS	NS	1050	NS	4100	NS	instant	5.5	NS	NS	NS	NS	6/1/1999	http://www.feit.com/	8000	NA	center	self-ballasted
273	Feit Electric	ECO Bulb	BPESL322 (CCT 4100)	electronic	triple tube	none	22	NS	NS	1250	NS	4100	NS	instant	5.9	NS	NS	NS	NS	6/1/1999	http://www.feit.com/	8000	NA	center	self-ballasted
274	Feit Electric	ECO Bulb	BPESL322D (CCT 4100)	dimmmable electronic	triple tube	none	22	NS	NS	1250	NS	4100	NS	instant	5.9	NS	NS	NS	NS	6/1/1999	http://www.feit.com/	8000	NA	center	self-ballasted
275	Feit Electric	ECO Bulb	BPESL322SN (CCT 4100)	electronic	triple tube	sensor	22	NS	NS	1250	NS	4100	NS	instant	5.9	NS	NS	NS	NS	6/1/1999	http://www.feit.com/	8000	NA	center	self-ballasted
276	Feit Electric	ECO Bulb	BPESL324 (CCT 4100)	electronic	triple tube	none	24	NS	NS	1375	NS	4100	NS	instant	6	NS	NS	NS	NS	6/1/1999	http://www.feit.com/	8000	NA	center	self-ballasted
277	Feit Electric	ECO Bulb	BPESL326 (CCT 4100)	electronic	triple tube	none	26	NS	NS	1500	NS	4100	NS	instant	6.3	NS	NS	NS	NS	6/1/1999	http://www.feit.com/	8000	NA	center	self-ballasted
278	Feit Electric	ECO Bulb	ESL20C (CCT 4100)	electronic	capsule	none	20	NS	NS	1200	NS	4100	NS	instant	6.3	NS	NS	NS	NS	6/1/1999	http://www.feit.com/	8000	NA	center	self-ballasted
279	Feit Electric	ECO Bulb	ESL20G (CCT 4100)	electronic	globe	none	20	NS	NS	1200	NS	4100	NS	instant	6.3	NS	NS	NS	NS	6/1/1999	http://www.feit.com/	8000	NA	center	self-ballasted
280	Feit Electric	ECO Bulb	ESL315 (CCT 4100)	electronic	coiled tube	none	15	NS †	NS †	807	NS	4100	NS	instant	5.5	NS	NS	NS	NS	6/1/1999	http://www.feit.com/	10000	NA	center	self-ballasted
281	Feit Electric	ECO Bulb	ESL320 (CCT 4100)	electronic	coiled tube	none	20	NS †	NS †	1094	NS	4100	NS	instant	6.4	NS	NS	NS	NS	6/1/1999	http://www.feit.com/	10000	NA	center	self-ballasted
282	MaxLite	Magnetic Circline	SK122MR (CCT 6000)	magnetic	circular	locking device, batwing arm	22	0.6	<15	1300	1040	6000	63	rapid	8.8	16	40	0	NS	6/1/1999	http://www.light-link.com/maxlite/maxlite2.html	7500	40,000	center	modular

Screwbase Compact Fluorescent Lamp Products
MANUFACTURER-SUPPLIED DATA

ID	Manufacturer	Trade Name	Catalog Number	Ballast Type	Lamp Envelope	Accessories Available	Active Power	Power Factor	THD	Initial Light Output	Mean Light Output	CCT	CRI	Starting Method	Max Overall Len	Weight	Max Ambient Temp	Min Ambient Temp	Sugg Retail Price	Comments	Date Updated	Mfr Website	Avg Rated Life	Ballast Rated Life	Lamp Base Position	Ballast Form
283	MaxLite	Magnetic CFL	SK217MA (CCT 6000)	magnetic	coiled tube	clear lamp cover	17	0.6	<15	780	NS	6000	84	rapid	6.2	15.2	40	0	NS		6/1/1999	http://www.light-link.com/maxlite/maxlite2.html	7500	NA	center	self-ballasted
284	MaxLite	Magnetic Capsule	SK217MC (CCT 6000)	magnetic	coiled tube	frosted capsule cover	17	0.6	<15	700	NS	6000	84	rapid	7.7	16.5	40	0	NS		6/1/1999	http://www.light-link.com/maxlite/maxlite2.html	7500	NA	center	self-ballasted
285	MaxLite	Downlights	SK320EBH (CCT 6000)	electronic	coiled tube	reflector, lenses	20	0.97	<15	1200	NS	6000	84	instant	6.9	8.8	71	-18	NS		6/1/1999	http://www.light-link.com/maxlite/maxlite2.html	10,000	NA	center	self-ballasted
286	MaxLite	Mini-Max	SKM315EA (CCT 6000)	electronic	coiled tube	none	15	0.6	>100	900	720	6000	84	instant	5.8	4.8	71	-18	NS		6/1/1999	http://www.light-link.com/maxlite/maxlite2.html	10,000	NA	center	self-ballasted
287	MaxLite	Downlights	SKM315EB (CCT 6000)	electronic	coiled tube	reflector, lenses	15	0.6	>100	900	NS	6000	84	instant	6	6.4	71	-18	NS		6/1/1999	http://www.light-link.com/maxlite/maxlite2.html	10,000	NA	center	self-ballasted
288	MaxLite	SpiraMax	SKS20EA (CCT 6000)	electronic	coiled tube	none	20	0.6	>100	1250	NS	6000	84	instant	5.1	4.2	71	-18	NS		6/1/1999	http://www.light-link.com/maxlite/maxlite2.html	10,000	NA	center	self-ballasted
289	MaxLite	Tri-Max	SKT320EAH (CCT 6000)	electronic	triple tube	none	20	0.97	<15	1200	NS	6000	84	instant	6.4	5.1	71	-18	NS		6/1/1999	http://www.light-link.com/maxlite/maxlite2.html	10,000	NA	center	self-ballasted
290	Mitor	EH	CEH13 (CCT 3000)	electronic	triple tube	reflector	14	>0.90	<25	600	528	3000	82	rapid	7.1	3	60	-40	34.2		6/1/1999	http://www.mitor.com/product.htm	10,000	50,000	center	modular
291	Mitor	EH	CEH13 (CCT 3500)	electronic	triple tube	reflector	14	>0.90	<25	600	528	3500	82	rapid	7.1	3	60	-40	34.2		6/1/1999	http://www.mitor.com/product.htm	10,000	50,000	center	modular
292	Mitor	EH	CEH13 (CCT 4100)	electronic	triple tube	reflector	14	>0.90	<25	600	528	4100	82	rapid	7.1	3	60	-40	34.2		6/1/1999	http://www.mitor.com/product.htm	10,000	50,000	center	modular
293	Mitor	EH	CEH18 (CCT 3000)	electronic	triple tube	reflector	19	>0.90	<25	900	792	3000	82	rapid	8.3	3	60	-40	34.2		6/1/1999	http://www.mitor.com/product.htm	10,000	50,000	center	modular
294	Mitor	EH	CEH18 (CCT 3500)	electronic	triple tube	reflector	19	>0.90	<25	900	792	3500	82	rapid	8.3	3	60	-40	34.2		6/1/1999	http://www.mitor.com/product.htm	10,000	50,000	center	modular
295	Mitor	EH	CEH18 (CCT 4100)	electronic	triple tube	reflector	19	>0.90	<25	900	792	4100	82	rapid	8.3	3	60	-40	34.2		6/1/1999	http://www.mitor.com/product.htm	10,000	50,000	center	modular
296	Mitor	EL	CEL13 (CCT 3000)	electronic	triple tube	reflector	14	0.55	>110	600	528	3000	82	rapid	7.1	3	60	-40	31.2		6/1/1999	http://www.mitor.com/product.htm	10,000	50,000	center	modular
297	Mitor	EL	CEL13 (CCT 3500)	electronic	triple tube	reflector	14	0.55	>110	600	528	3500	82	rapid	7.1	3	60	-40	31.2		6/1/1999	http://www.mitor.com/product.htm	10,000	50,000	center	modular
298	Mitor	EL	CEL13 (CCT 4100)	electronic	triple tube	reflector	14	0.55	>110	600	528	4100	82	rapid	7.1	3	60	-40	31.2		6/1/1999	http://www.mitor.com/product.htm	10,000	50,000	center	modular
299	Mitor	EL	CEL18 (CCT 3000)	electronic	triple tube	reflector	19	0.55	>110	900	792	3000	82	rapid	8.3	3	60	-40	31.2		6/1/1999	http://www.mitor.com/product.htm	10,000	50,000	center	modular
300	Mitor	EL	CEL18 (CCT 3500)	electronic	triple tube	reflector	19	0.55	>110	900	792	3500	82	rapid	8.3	3	60	-40	31.2		6/1/1999	http://www.mitor.com/product.htm	10,000	50,000	center	modular
301	Mitor	EL	CEL18 (CCT 4100)	electronic	triple tube	reflector	19	0.55	>110	900	792	4100	82	rapid	8.3	3	60	-40	31.2		6/1/1999	http://www.mitor.com/product.htm	10,000	50,000	center	modular
302	Mitor	Powerlum	MTH15 (CCT 3500)	electronic	triple tube	none	15	>0.90	<25	900	792	3500	82	instant	5.7	4	60	-40	17.95		6/1/1999	http://www.mitor.com/product.htm	10,000	NA	center	self-ballasted
303	Mitor	Powerlum	MTH15 (CCT 4100)	electronic	triple tube	none	15	>0.90	<25	900	792	4100	82	instant	5.7	4	60	-40	17.95		6/1/1999	http://www.mitor.com/product.htm	10,000	NA	center	self-ballasted
304	Mitor	Powerlum	MTH15 (CCT 6500)	electronic	triple tube	none	15	>0.90	<25	900	792	6500	82	instant	5.7	4	60	-40	17.95		6/1/1999	http://www.mitor.com/product.htm	10,000	NA	center	self-ballasted
305	Mitor	Powerlum	MTH20 (CCT 3500)	electronic	triple tube	none	20	>0.90	<25	1200	1056	3500	82	instant	6	4	60	-40	18.95		6/1/1999	http://www.mitor.com/product.htm	10,000	NA	center	self-ballasted
306	Mitor	Powerlum	MTH20 (CCT 4100)	electronic	triple tube	none	20	>0.90	<25	1200	1056	4100	82	instant	6	4	60	-40	18.95		6/1/1999	http://www.mitor.com/product.htm	10,000	NA	center	self-ballasted
307	Mitor	Powerlum	MTH20 (CCT 6500)	electronic	triple tube	none	20	>0.90	<25	1200	1056	6500	82	instant	6	4	60	-40	18.95		6/1/1999	http://www.mitor.com/product.htm	10,000	NA	center	self-ballasted
308	Mitor	Powerlum	MTH23 (CCT 3500)	electronic	triple tube	none	23	>0.90	<25	1500	1230	3500	82	instant	6.8	4	60	-40	19.95		6/1/1999	http://www.mitor.com/product.htm	10,000	NA	center	self-ballasted
309	Mitor	Powerlum	MTH23 (CCT 4100)	electronic	triple tube	none	23	>0.90	<25	1500	1230	4100	82	instant	6.8	4	60	-40	19.95		6/1/1999	http://www.mitor.com/product.htm	10,000	NA	center	self-ballasted
310	Mitor	Powerlum	MTH23 (CCT 6500)	electronic	triple tube	none	23	>0.90	<25	1500	1230	6500	82	instant	6.8	4	60	-40	19.95		6/1/1999	http://www.mitor.com/product.htm	10,000	NA	center	self-ballasted
311	Mitor	Powerlum	MTL15 (CCT 3500)	dimmmable electronic	triple tube	photocell	15	0.55	>110	900	792	3500	82	instant	5.7	4	60	-40	15.95		6/1/1999	http://www.mitor.com/product.htm	10,000	NA	center	self-ballasted
312	Mitor	Powerlum	MTL15 (CCT 4100)	dimmmable electronic	triple tube	photocell	15	0.55	>110	900	792	4100	82	instant	5.7	4	60	-40	15.95		6/1/1999	http://www.mitor.com/product.htm	10,000	NA	center	self-ballasted
313	Mitor	Powerlum	MTL15 (CCT 6500)	dimmmable electronic	triple tube	photocell	15	0.55	>110	900	792	6500	82	instant	5.7	4	60	-4	15.95		6/1/1999	http://www.mitor.com/product.htm	10,000	NA	center	self-ballasted
314	Mitor	Powerlum	MTL20 (CCT 3500)	dimmmable electronic	triple tube	none	20	0.55	>110	1200	1056	3500	82	instant	6	4	60	-40	15.95		6/1/1999	http://www.mitor.com/product.htm	10,000	NA	center	self-ballasted
315	Mitor	Powerlum	MTL20 (CCT 4100)	dimmmable electronic	triple tube	none	20	0.55	>110	1200	1056	4100	82	instant	6	4	60	-40	15.95		6/1/1999	http://www.mitor.com/product.htm	10,000	NA	center	self-ballasted
316	Mitor	Powerlum	MTL20 (CCT 6500)	dimmmable electronic	triple tube	none	20	0.55	>110	1200	1056	6500	82	instant	6	4	60	-40	15.95		6/1/1999	http://www.mitor.com/product.htm	10,000	NA	center	self-ballasted
317	Mitor	Powerlum	MTL23 (CCT 3500)	dimmmable electronic	triple tube	none	23	0.55	>110	1500	1230	3500	82	instant	6.8	4	60	-40	17.95		6/1/1999	http://www.mitor.com/product.htm	10,000	NA	center	self-ballasted
318	Mitor	Powerlum	MTL23 (CCT 4100)	dimmmable electronic	triple tube	none	23	0.55	>110	1500	1230	4100	82	instant	6.8	4	60	-40	17.95		6/1/1999	http://www.mitor.com/product.htm	10,000	NA	center	self-ballasted
319	Mitor	Powerlum	MTL23 (CCT 6500)	dimmmable electronic	triple tube	none	23	0.55	>110	1500	1230	6500	82	instant	6.8	4	60	-40	17.95		6/1/1999	http://www.mitor.com/product.htm	10,000	NA	center	self-ballasted
320	Mitor	Power Compact	PCEN26 (CCT 3000)	electronic	triple tube	reflector	28	0.55	>110	1800	1584	3000	82	rapid	7.7	6	60	-40	53.84		6/1/1999	http://www.mitor.com/product.htm	10,000	50,000	center	modular
321	Mitor	Power Compact	PCEN26 (CCT 3500)	electronic	triple tube	reflector	28	0.55	>110	1800	1584	3500	82	rapid	7.7	6	60	-40	53.84		6/1/1999	http://www.mitor.com/product.htm	10,000	50,000	center	modular
322	Mitor	Power Compact	PCEN26 (CCT 4100)	electronic	triple tube	reflector	28	0.55	>110	1800	1584	4100	82	rapid	7.7	6	60	-40	53.84		6/1/1999	http://www.mitor.com/product.htm	10,000	50,000	center	modular

Screwbase Compact Fluorescent Lamp Products
MANUFACTURER-SUPPLIED DATA

ID	Manufacturer	Trade Name	Catalog Number	Ballast Type	Lamp Envelope	Accessories Available	Active Power	Power Factor	THD	Initial Light Output	Mean Light Output	CCT	CRI	Starting Method	Max Overall Len	Weight	Max Ambient Temp	Min Ambient Temp	Sugg Retail Price	Comments	Date Updated	Mfr Website	Avg Rated Life	Ballast Rated Life	Lamp Base Position	Ballast Form
323	Mitor	Power Compact	PCEN32 (CCT 3000)	electronic	triple tube	reflector	34	0.55	>110	2400	2112	3000	82	rapid	8.4	6	60	-40	53.84		6/1/1999	http://www.mitor.com/product.htm	10,000	50,000	center	modular
324	Mitor	Power Compact	PCEN32 (CCT 3500)	electronic	triple tube	reflector	34	0.55	>110	2400	2112	3500	82	rapid	8.4	6	60	-40	53.84		6/1/1999	http://www.mitor.com/product.htm	10,000	50,000	center	modular
325	Mitor	Power Compact	PCEN32 (CCT 4100)	electronic	triple tube	reflector	34	0.55	>110	2400	2112	4100	82	rapid	8.4	6	60	-40	53.84		6/1/1999	http://www.mitor.com/product.htm	10,000	50,000	center	modular
326	Mitor	Power Compact	PCEN42 (CCT 3000)	electronic	triple tube	none	45	0.55	>110	3200	2816	3000	82	rapid	8.9	6	60	-40	57.52		6/1/1999	http://www.mitor.com/product.htm	10,000	50,000	center	modular
327	Mitor	Power Compact	PCEN42 (CCT 3500)	electronic	triple tube	none	45	0.55	>110	3200	2816	3500	82	rapid	8.9	6	60	-40	57.52		6/1/1999	http://www.mitor.com/product.htm	10,000	50,000	center	modular
328	Mitor	Power Compact	PCEN42 (CCT 4100)	electronic	triple tube	none	45	0.55	>110	3200	2816	4100	82	rapid	8.9	6	60	-40	57.52		6/1/1999	http://www.mitor.com/product.htm	10,000	50,000	center	modular
329	Mitor	Vapor Proof	VPSEH26 (CCT 3000)	electronic	triple tube	reflector	28	>0.90	<25	1800	1584	3000	82	rapid	6	11	60	-40	66.95		6/1/1999	http://www.mitor.com/product.htm	10,000	50,000	center	modular
330	Mitor	Vapor Proof	VPSEH26 (CCT 3500)	electronic	triple tube	reflector	28	>0.90	<25	1800	1584	3500	82	rapid	6	11	60	-40	66.95		6/1/1999	http://www.mitor.com/product.htm	10,000	50,000	center	modular
331	Mitor	Vapor Proof	VPSEH26 (CCT 4100)	electronic	triple tube	reflector	28	>0.90	<25	1800	1584	4100	82	rapid	6	11	60	-40	66.95		6/1/1999	http://www.mitor.com/product.htm	10,000	50,000	center	modular
332	Mitor	Vapor Proof	VPSEH32 (CCT 3000)	electronic	triple tube	reflector	34	>0.90	<25	2400	2112	3000	82	rapid	6.8	11	60	-40	66.95		6/1/1999	http://www.mitor.com/product.htm	10,000	50,000	center	modular
333	Mitor	Vapor Proof	VPSEH32 (CCT 3500)	electronic	triple tube	reflector	34	>0.90	<25	2400	2112	3500	82	rapid	6.8	11	60	-40	66.95		6/1/1999	http://www.mitor.com/product.htm	10,000	50,000	center	modular
334	Mitor	Vapor Proof	VPSEH32 (CCT 4100)	electronic	triple tube	reflector	34	>0.90	<25	2400	2112	4100	82	rapid	6.8	11	60	-40	66.95		6/1/1999	http://www.mitor.com/product.htm	10,000	50,000	center	modular
335	Technical Consumer Products, Inc. (TCP)	SpringLamp	18009	electronic	coiled tube	reflector, reflector diffuser cover	9	>0.50	<150	550	NS	2700	84	NS	4.6	NS	160	-20	19.98		5/5/2000	http://www.springlamp.com	10,000	NA	center	self-ballasted
336	Technical Consumer Products, Inc. (TCP)	SpringLamp	18011	electronic	coiled tube	reflector, reflector diffuser cover	11	>0.50	<150	680	NS	2700	84	NS	4.8	NS	160	-20	19.98		5/5/2000	http://www.springlamp.com	10,000	NA	center	self-ballasted
337	Technical Consumer Products, Inc. (TCP)	SpringLamp	18015	electronic	coiled tube	reflector, reflector diffuser cover	15	>0.50	<150	980	NS	2700	84	NS	5.2	NS	160	-20	19.98		5/5/2000	http://www.springlamp.com	10,000	NA	center	self-ballasted
338	Technical Consumer Products, Inc. (TCP)	SpringLamp	18018	electronic	coiled tube	reflector, reflector diffuser cover	18	>0.50	<150	1200	NS	2700	84	NS	5.5	NS	160	-20	19.98		5/5/2000	http://www.springlamp.com	10,000	NA	center	self-ballasted
339	Technical Consumer Products, Inc. (TCP)	SpringLamp	18023	electronic	coiled tube	reflector, reflector diffuser cover	23	>0.50	<150	1500	NS	2700	84	NS	5.8	NS	160	-20	19.98		5/5/2000	http://www.springlamp.com	10,000	NA	center	self-ballasted
340	Technical Consumer Products, Inc. (TCP)	SpringLamp	18026	electronic	coiled tube	reflector, reflector diffuser cover	26	>0.50	<150	1750	NS	2700	84	NS	5.8	NS	160	-20	19.98		5/5/2000	http://www.springlamp.com	10,000	NA	center	self-ballasted
341	Technical Consumer Products, Inc. (TCP)	SpringLamp	10111	electronic	coiled tube	reflector, reflector diffuser cover	11	>0.90	<33	680	NS	2700	84	NS	4.8	NS	160	-20	19.98	dimmbable 100 - 20%	5/5/2000	http://www.springlamp.com	10,000	NA	center	self-ballasted
342	Technical Consumer Products, Inc. (TCP)	SpringLamp	10115	electronic	coiled tube	reflector, reflector diffuser cover	15	>0.90	<33	980	NS	2700	84	NS	5.2	NS	160	-20	19.98	dimmbable 100 - 20%	5/5/2000	http://www.springlamp.com	10,000	NA	center	self-ballasted
343	Technical Consumer Products, Inc. (TCP)	SpringLamp	10118	electronic	coiled tube	reflector, reflector diffuser cover	18	>0.90	<33	1200	NS	2700	84	NS	5.5	NS	160	-20	19.98	dimmbable 100 - 20%	5/5/2000	http://www.springlamp.com	10,000	NA	center	self-ballasted
344	Technical Consumer Products, Inc. (TCP)	SpringLamp	10123	electronic	coiled tube	reflector, reflector diffuser cover	23	>0.90	<33	1500	NS	2700	84	NS	5.8	NS	160	-20	19.98	dimmbable 100 - 20%	5/5/2000	http://www.springlamp.com	10,000	NA	center	self-ballasted
345	Sunpark Electronics Corp.	Spiral	SP 15SL	electronic	coiled tube		15	>0.50	>100	900	NS	2700	>80	NS	5.25	NS	NS	-20	7		5/5/2000	http://www.sunpkco.com	10,000	NA	center	self-ballasted
346	Sunpark Electronics Corp.	Spiral	SP 15S	electronic	coiled tube		15	>0.90	<33	900	NS	2700	>80	NS	5.25	NS	NS	-20	7.5		5/5/2000	http://www.sunpkco.com	10,000	NA	center	self-ballasted
347	Sunpark Electronics Corp.	Spiral	SP 20S	electronic	coiled tube		20	>0.90	<33	1200	NS	2700	>80	NS	5.1	NS	NS	-20	7.75		5/5/2000	http://www.sunpkco.com	10,000	NA	center	self-ballasted
348	Sunpark Electronics Corp.	Spiral	SP 23SL	electronic	coiled tube		23	>0.50	>100	1380	NS	2700	>80	NS	5.74	NS	NS	-20	7.55		5/5/2000	http://www.sunpkco.com	10,000	NA	center	self-ballasted
349	Sunpark Electronics Corp.	Spiral	SP 23S	electronic	coiled tube		23	>0.90	<33	1380	NS	2700	>80	NS	5.74	NS	NS	-20	7.9		5/5/2000	http://www.sunpkco.com	10,000	NA	center	self-ballasted
350	Harmony Lighting International	LightWiz	1100.842	electronic	coiled tube		20	0.6	130	1200	NS	2700	82	rapid	5.7	NS	NS	0	9.95	formerly sold under name "GFL Whirlux"	5/5/2000	http://www.efi.org	10,000	NA	center	self-ballasted
351	Harmony Lighting International	LightWiz	1100.843	electronic	coiled tube		23	0.6	130	1560	NS	2700	82	rapid	5.9	NS	NS	0	10.95	formerly sold under name "GFL Whirlux"	5/5/2000	http://www.efi.org	10,000	NA	center	self-ballasted
352	Shunde Corso Electronics Co., Ltd.	A Lamp	CPOB	electronic	A-lamp shaped capsule		9	>0.50	<150	410	NS	2700	83	NS	5.7	NS	NS	NS	NS		5/5/2000	http://www.sdcorso.com	10,000	NA	center	self-ballasted
353	Energy Efficient Technologies (EET)	Mini Lite	ETU15	electronic	quad		15	0.905	<20	950		2700	85	instant	4.37	3.7	50	-20	NS		7/21/2000	NA	12,000	NA	center	self-ballasted
354	JKRL USA	ECO-GLO	YER(SB)15P	electronic	coiled tube		15	0.5 (min)	137	900	NS	2700-3000	82	rapid	5.25	NS	NS	-29	5.75 - 7.85	price varies with order quantity	7/21/2000	http://www.energysavinglightbulbs.com	10,000	NA	center	self-ballasted
355	JKRL USA	ECO-GLO	YER(SB)20P	electronic	coiled tube		20	0.5 (min)	140	1200	NS	2700-3000	82	rapid	5.4	NS	NS	-29	6.00 - 8.10	price varies with order quantity	7/21/2000	http://www.energysavinglightbulbs.com	10,000	NA	center	self-ballasted
356	JKRL USA	ECO-GLO	YER(SB)23P	electronic	coiled tube		23	0.5 (min)	130	1380	NS	2700-3000	82	rapid	5.4	NS	NS	-29	6.30 - 8.40	price varies with order quantity	7/21/2000	http://www.energysavinglightbulbs.com	10,000	NA	center	self-ballasted
357	JKRL USA	ECO-GLO	YER(SB)26P	electronic	coiled tube		26	0.5 (min)	128	1560	NS	2700-3000	82	rapid	5.8	NS	NS	-29	6.50 - 8.60	price varies with order quantity	7/21/2000	http://www.energysavinglightbulbs.com	10,000	NA	center	self-ballasted

Screwbase Compact Fluorescent Lamp Products
MANUFACTURER-SUPPLIED DATA

ID	Manufacturer	Trade Name	Catalog Number	Ballast Type	Lamp Envelope	Accessories Available	Active Power	Power Factor	THD	Initial Light Output	Mean Light Output	CCT	CRI	Starting Method	Max Overall Len	Weight	Max Ambient Temp	Min Ambient Temp	Sugg Retail Price	Comments	Date Updated	Mfr Website	Avg Rated Life	Ballast Rated Life	Lamp Base Position	Ballast Form
358	Angelo Bros-Westinghouse	TWIST	37353	electronic	coiled tube	NS	28	NS	NS	1680	NS	2700	82	NS	6.2	NS	NS	0	NS		12/1/2002	http://www.westinghouselightbulbs.com/	8000	NS	center	self-ballasted
359	Commercial Electric	NS	738-703	electronic	coiled tube	NS	20	>0.50	<150	1200	NS	2700	82	NS	5.45	NS	160	-20	NS		12/1/2002	http://www.tcpi.com/product_catalog.php	10000	NS	center	self-ballasted
360	Commercial Electric	NS	846-038	electronic	reflector	NS	16	>0.50	<150	560	NS	2700	82	NS	5.4	NS	160	-20	NS		12/1/2002	http://www.tcpi.com/product_catalog.php	6000	NS	center	self-ballasted
361	Feit Electric	ECO Bulb	BPESL13T	electronic	coiled tube	NS	13	NS	NS	825	NS	2700	NS	NS	4.6	NS	122	-4	NS		12/1/2002	http://www.feit.com/compactfluor.html	8000	NS	center	self-ballasted
362	Feit Electric	ECO Bulb	BPESL25T	electronic	coiled tube	NS	25	NS	NS	1550	NS	2700	NS	NS	6.2	NS	122	-4	NS		12/1/2002	http://www.feit.com/compactfluor.html	10000	NS	center	self-ballasted
363	GE Lighting	ULTRA	FLE15TBX/L/LLCD	electronic	triple tube	NS	15	0.6	170	900	765	2700	82	NS	5.2	NS	NS	5	NS		12/1/2002	http://catalog.gelighting.com/na	12000	NS	center	self-ballasted
364	GE Lighting	NS	FLE20/6/ T19/827	electronic	capsule	NS	20	0.6	170	1075	860	2700	84	NS	6.3	NS	NS	-10	NS		12/1/2002	http://catalog.gelighting.com/na	6000	NS	center	self-ballasted
365	GE Lighting	NS	FLE20TBX/L/R40	electronic	reflector	NS	20	0.6	170	785	670	2700	82	NS	6.2	NS	NS	-10	NS		12/1/2002	http://catalog.gelighting.com/na	10000	NS	center	self-ballasted
366	GE Lighting	ULTRA	FLG15/E	electronic	globe	NS	15	0.5	150	765	575	2800	82	NS	5.1	NS	NS	0	NS		12/1/2002	http://catalog.gelighting.com/na	6000	NS	center	self-ballasted
367	JKRL USA	ECO-GLO	YER(SB) 26P	electronic	coiled tube	NS	26	>0.50	NS	1560	1310.4	2700 - 3000	>82	NS	5.9	NS	NS	-20	NS		12/1/2002	http://www.ablelightusa.com/pages/577193/index.htm	10000	NS	center	self-ballasted
368	Harmony Lighting International	Lightwiz	H20027	electronic	coiled tube	NS	20	NS	NS	1200	NS	2700	>82	NS	5.51	NS	NS	NS	NS		12/1/2002	http://www.harmonylight.com/Product_Catalog/Lightwiz_CFL_s/lightwiz_cfl_s.html	10000	NS	center	self-ballasted
369	Harmony Lighting International	Lightwiz	H23327	electronic	coiled tube	NS	23/18/11	NS	NS	1380 /1150 /600	NS	2700	>82	NS	6.69	NS	NS	NS	NS		12/1/2002	http://www.harmonylight.com/Product_Catalog/Lightwiz_CFL_s/lightwiz_cfl_s.html	10000	NS	center	self-ballasted
370	MaxLite	SpiraMax	SKS15EA	electronic	coiled tube	NS	15	NS	NS	950	NS	2800	84	NS	5	NS	140	0	NS		12/1/2002	http://www.maxlite.com/Pages-products.html	10000	NS	center	self-ballasted
371	OSRAM SYLVANIA	DULUX EL	CF20EL/ Twist	electronic	coiled tube	NS	20	NS	NS	1200	NS	3000	82	NS	5.5	NS	100	0	NS		12/1/2002	http://www.sylvania.com/catalog/	10000	NS	center	self-ballasted
372	Panasonic	GenIV	EFA14E28	electronic	capsule	NS	14	NS	NS	840	NS	2800	84	NS	4.75	NS	NS	-22	NS		12/1/2002	http://www.panasonic.com/MHCC/pl/index.html	10000	NS	center	self-ballasted
373	Philips	MARATHON	SLS 15	electronic	triple tube	NS	15	0.55 - 0.62	NS	900	765	2700	82	NS	4.9	NS	140	-10	NS		12/1/2002	http://www.lighting.philips.com/nam/product_database/	10000	NS	center	self-ballasted
374	Sunpark Electronics Corp.	NS	SP 20SL	electronic	coiled tube	NS	20	>0.50	>100	1200	NS	2700 - 3000	>80	NS	5.5	NS	NS	-20	NS		12/1/2002	http://www.sunpkco.com/cfls.html	10000	NS	center	self-ballasted
375	Commercial Electric	NS	738-702	electronic	coiled tube		15	NS	NS	930	NS	NS	NS	NS	NS	NS	NS	-20	NS		9/1/2002	http://www.tcpi.com/product_catalog.php	10000	NS	center	self-ballasted
376	FEIT	ECOBULB	BPESL11G	electronic	globe		11	NS	NS	450	NS	2700	NS		5.3	NS	122	-4	NS		9/1/2002	http://www.feit.com/globes.html	8000	NS	center	self-ballasted
377	FEIT	ECOBULB	BPESL15R30	electronic	reflector		15	NS	NS	525	NS	2700	NS		6.2	NS	122	-4	NS		9/1/2002	http://www.feit.com/reflectors.html	8000	NS	center	self-ballasted
378	FEIT	ECOBULB	BPESL16A	electronic	A-line		15	NS	NS	720	NS	2700	NS		5.5	NS	122	-4	NS		9/1/2002	http://www.feit.com/household.html	8000	NS	center	self-ballasted
379	FEIT	ECOBULB	BPESL30-100T	electronic	coiled tube		8/14/2023	NS	NS	400/800/1380	NS	2700	NS		5.7	NS	122	-4	NS		9/1/2002	http://www.feit.com/twistpage.html	8000	NS	center	self-ballasted
380	GE	NS	FLE27HLX/8/CD	electronic	coiled tube		27	0.6	170	1650	1235	2700	82		6.1	NS	NS	5	NS		9/1/2002	http://catalog.gelighting.com	6000	NS	center	self-ballasted
381	GE	NS	FLE29QBX/DV/CD	electronic	triple tube		29	0.6	170	1750	1500	2700	82		6.3	NS	NS	5	NS		9/1/2002	http://catalog.gelighting.com	10000	NS	center	self-ballasted
382	GREENLITE	NS	ELR30	electronic	reflector		15	> 0.50	NS	500	NS	NS	>82		6.38	NS	120	-6	NS		9/1/2002	http://www.greenlite.ca/eng/cfl_ref.html	10000	NS	center	self-ballasted
383	GREENLITE	NS	ELS-M 15W	electronic	coiled tube		15	> 0.50	NS	900	NS	NS	>82		4.65	NS	120	-6	NS		9/1/2002	http://www.greenlite.ca/eng/cfl_m.html	10000	NS	center	self-ballasted
384	Harmony Lighting	Lightwiz	H20027	electronic	coiled tube		20	NS	NS	1200	NS	2700	>82		5.4	NS	NS	NS	NS		9/1/2002	http://www.harmonylight.com/Product_Catalog/Lightwiz_CFL_s/lightwiz_cfl_s.html	10000	NS	center	self-ballasted
385	Lights of America	the Twister	2415	electronic	coiled tube		15	NS	NS	950 †	NS	NS	NS		NS	NS	NS	NS	NS	Lumens stated for base down position per lamp package	9/1/2002	http://www.lightsofamerica.com/	10000	NS	center	self-ballasted
386	Lights of America	the Twister	2425	electronic	coiled tube		25	NS	NS	1600	NS	NS	NS		NS	NS	NS	NS	NS		9/1/2002	http://www.lightsofamerica.com/	10000	NS	center	self-ballasted
387	MaxLite	EconoMax	SKE215EA	electronic	quad		15	NS	NS	850	NS	2700	84		6.8	NS	NS	NS	NS		9/1/2002	http://www.maxlite.com/PDFs/economax.pdf	8000	NS	center	self-ballasted
388	Philips	MARATHON	SLS/R30 15W	electronic	coiled tube		15	0.55 to 0.62	NS	500	425	2700	82		6	NS	140	-10	NS		9/1/2002	http://www.lighting.philips.com/nam/product_database/cfl/displaycfl.php?id=18	8000	NS	center	self-ballasted
389	Philips	MARATHON	SLS/TW34W	electronic	triple tube		18/26/34	NS	NS	1100/1600/2100	NS	2700	82		6.1	NS	104	32	NS		9/1/2002	http://www.lighting.philips.com/nam/product_database/cfl/displaycfl.php?id=49	7000	NS	center	self-ballasted
390	Sunrise	NS	SSE15M	electronic	coiled tube		15	NS	NS	950	NS	2700	84		4.5	NS	NS	32	NS		9/1/2002	http://www.sunriselighting.com/index2.htm	10000	NS	center	self-ballasted
391	Surya	NS	ET15	electronic	four tube		15	> 0.50	NS	900	NS	2700	NS		NS	NS	145	-20	NS		9/1/2002	http://www.suryaroshnilighting.com/htmldoc/products.html	8000	NS	center	self-ballasted
392	Verilux	Sunshine in A Box	CFS 15VLX	electronic	coiled tube		15	NS	NS	900	NS	6000	85		5.38	NS	NS	NS	NS		9/1/2002	http://www.verilux.net/compacts%20R30.pdf	10000	NS	center	self-ballasted
393	Westinghouse	TWIST	37351	electronic	coiled tube		23	NS	NS	1380	NS	2700	82		6.1	NS	NS	-0.4	NS		9/1/2002	http://www.westinghouselightbulbs.com	8000	NS	center	self-ballasted
394	Westinghouse	NS	37488	electronic	reflector		15	NS	NS	650	NS	2700	82		5.4	NS	NS	-0.4	NS		9/1/2002	http://www.westinghouselightbulbs.com	8000	NS	center	self-ballasted
395	American Top Lighting	Toplite	TL3U25L	Electronic	Triple tube		25	>0.50	NS	1450	NS	2700	>80	NS	6.69	NS	NS	-4*	NS			http://www.top-lite.com/	8000	NA	Center	Self-ballasted

Screwbase Compact Fluorescent Lamp Products
MANUFACTURER-SUPPLIED DATA

ID	Manufacturer	Trade Name	Catalog Number	Ballast Type	Lamp Envelope	Accessories Available	Active Power	Power Factor	THD	Initial Light Output	Mean Light Output	CCT	CRI	Starting Method	Max Overall Len	Weight	Max Ambient Temp	Min Ambient Temp	Sugg Retail Price	Comments	Date Updated	Mfr Website	Avg Rated Life	Ballast Rated Life	Lamp Base Position	Ballast Form
396	Feit Electric	Conserv-Energy	BPCE13T/8	Electronic	Coiled tube		13	NS	NS	800	NS	2650	NS	NS	NS	NS	122	NS	NS			http://www.feit.com	8000	NA	Center	Self-ballasted
397	Feit Electric	EcoBulb	BPESL18PAR38	Electronic	Reflector		18	NS	NS	650	NS	NS	NS	NS	NS	NS	122	NS	NS			http://www.feit.com	6000 or 8000	NA	Center	Self-ballasted
398	GE Lighting	GE Lighting	FLE26HT3/2/SW	Electronic	Coiled tube		26	0.6	120	1700	1365	2700	82	NS	5.2	NS	NS	5	NS			www.gelighting.com	8000	NA	Center	Self-ballasted
399	Greenlite Lighting	Greenlite	15W/ELX	Electronic	A-line		15	NS	NS	750*	NS	3000	82	NS	5.59	NS	120	NS	NS			http://www.greenliteusa.com/	6000	NA	Center	Self-ballasted
400	Greenlite Lighting	Greenlite	20W/ELS-M	Electronic	Coiled tube		20	NS	NS	1250	NS	2700	82	NS	5.47	NS	120	NS	NS		11/1/2003	http://www.greenliteusa.com/	6000 or 10000	NA	Center	Self-ballasted
401	Greenlite Lighting	Greenlite	23W/ELS/DIM	Electronic	Coiled tube		23	NS	NS	1525	NS	2700	82	NS	6.38	NS	120	NS	NS		11/1/2003	http://www.greenliteusa.com/	6000	NA	Center	Self-ballasted
402	Harmony Lighting	Lightwiz	H15OG25	Electronic	Globe		15	NS	NS	740	NS	NS	NS	NS	NS	NS	NS	-20	NS		11/1/2003	http://www.harmonylight.com/	6000	NA	Center	Self-ballasted
403	Harmony Lighting	Lightwiz	H15OR30	Electronic	Reflector		15	NS	NS	540	NS	NS	NS	NS	NS	NS	NS	-20	NS		11/1/2003	http://www.harmonylight.com/	6000	NA	Center	Self-ballasted
404	Harmony Lighting	Lightwiz	H23327	Electronic	Coiled tube		11/18/2023	NS	NS	600/1150/1380	NS	2700	>80	NS	6.4	NS	NS	NS	NS		11/1/2003	http://www.harmonylight.com/	10000	NA	Center	Self-ballasted
405	Home Depot	Commercial Electric	772-747	Electronic	Coiled tube		14	NS	NS	800	NS	NS	NS	NS	NS	NS	NS	-20	NS		11/1/2003	http://www.homedepot.com/HDUS/EN_US/energy/index.html	6000	NA	Center	Self-ballasted
406	Home Depot	Commercial Electric	774-265	Electronic	Reflector		19	NS	NS	950	NS	NS	NS	NS	NS	NS	NS	-20	NS		11/1/2003	http://www.homedepot.com/HDUS/EN_US/energy/index.html	8000	NA	Center	Self-ballasted
407	Lights of America	Lights of America	2509	Electronic	Globe		9	NS	NS	430	NS	2700	82	NS	4.25	NS	NS	-20	NS		11/1/2003	www.lightsofamerica.com	6000	NA	Center	Self-ballasted
408	Lights of America	Lights of America	2920	Electronic	Reflector		20	NS	NS	800*	NS	2800	82	NS	5.75	NS	NS	-20	NS		11/1/2003	www.lightsofamerica.com	6000	NA	Center	Self-ballasted
409	Nedco International	Save A Watt	DEC3-U-25W	Electronic	Coiled tube		25	NS	NS	1500	NS	2700	NS	NS	NS	NS	122	23	NS		11/1/2003	NA	8000	NA	Center	Self-ballasted
410	Osram Sylvania	Sylvania DULUX EL	CF15/EL/BR30/1/BL	Electronic	Reflector		15	NS	NS	560	482	3000	82	NS	5.6	NS	100	NS	NS		11/1/2003	www.sylvania.com	6000	NA	Center	Self-ballasted
411	Osram Sylvania	Sylvania DULUX EL	CF27EL/TWIST/1/BL	Electronic	Coiled tube		27	NS	NS	1750	1505	3000	82	NS	6.1	NS	100	NS	NS		11/1/2003	www.sylvania.com	10000	NA	Center	Self-ballasted
412	Sunpark Electronics	Sunpark	SP-11SL	Electronic	Coiled tube		11	>0.50	NS	600	NS	2700~3000	NS	NS	4.75	NS	NS	-20	NS		11/1/2003	www.sunpkco.com	10000	NA	Center	Self-ballasted